S2
401: B61
1992
c. 2

BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS '92



Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1992nort

BASIC AUTOMATED BIRTH YEARBOOK

This report, referred to as ***The Baby Book,*** contains computerized tables showing statewide counts and percentages for 1992 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Erin Nicole Gordon, born February 28, 1993, as photographed by Bill Ellington.

Nikki's mother is Mandy Gordon of the Division of Policy and Development in the Department of Environment, Health, and Natural Resources.

North Carolina Residents

1992

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
STATE CENTER FOR HEALTH AND ENVIRONMENTAL STATISTICS
POST OFFICE BOX 29538
RALEIGH, NORTH CAROLINA 27626-0538

August, 1993

N.C. DOCUMENTS
CLEARINGHOUSE

NOV 16 1993

N.C. STATE LIBRARY
RALEIGH

STATE OF NORTH CAROLINA
James B. Hunt, Jr., Governor

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
Jonathan B. Howes, Secretary

STATE CENTER FOR HEALTH AND ENVIRONMENTAL STATISTICS
Delton Atkinson, M.S.P.H., M.P.H., Director

BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS

1992

DEFINITIONS

A *'live birth'* is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition adopted by the World Health Organization in 1950.)

A *'not married'* mother is one who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

'Birth order' is the sum of all previous deliveries (live births plus other reported terminations, i.e., spontaneous and induced at any time after conception) plus the present live birth.

'Birth weight' is expressed in grams. A low-weight birth is defined as a live born infant weighing 2500 grams (5 pounds, 8 ounces) or less at birth, regardless of the period of gestation. (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.)

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed by the mother at time of the birth.

Beginning in 1990, the last seven tables of this report (Tables 16-22) provide crosstabulations of new birth certificate items by birth weight by race. These pertain to medical history of the mother, maternal smoking and weight gain, obstetric procedures, events of labor and delivery, method of delivery, and conditions of the newborn. These items were added to the North Carolina birth certificate in 1988. In Tables 16 and 19-22, the row totals do not equal the total number of live births because some births involve multiple conditions within a variable.

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother, regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite,' are used. In cases of mixed parentage, the newborn is considered to be the race of the mother.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the state office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The following page provides an example and instructions for reading the tables of this printout.

LISTING OF CROSSTABULATIONS OF RESIDENT LIVE BIRTHS

TABLE		Page
1.	Age of Mother by Birth Order by Marital Status by Race (AGE/BTH ORDR/MS/RACE)	1
2.	Age of Mother by Birth Order by Race (AGE/BTH ORDR/RACE)	11
3.	Age of Mother by Birth Weight by Race (AGE/BTH WT/RACE)	17
4.	Education of Mother by Birth Weight by Race (ED/BTH WT/RACE)	23
5.	Month Prenatal Care Began by Education of Mother by Race (MPCB/ED/RACE)	26
6.	Month Prenatal Care Began by Age of Mother by Race (MPCB/AGE/RACE)	29
7.	Month Prenatal Care Began by Marital Status by Race (MPCB/MS/RACE)	35
8.	Month Prenatal Care Began by Birth Order by Race (MPCB/BTH ORDR/RACE)	38
9.	Month Prenatal Care Began by Birth Weight by Race (MPCB/BTH WT/RACE)	41
10.	Number of Prenatal Visits by Education of Mother by Race (PRENTL VSTS/ED/RACE)	44
11.	Number of Prenatal Visits by Age of Mother by Race (PRENTL VSTS/AGE/RACE)	50

12. Number of Prenatal Visits by Marital Status by Race 62
(PRENTL VSTS/MS/RACE)

13. Number of Prenatal Visits by Birth Order by Race 68
(PRENTL VSTS/BTH ORDR/RACE

14. Number of Prenatal Visits by Birth Weight by Race 74
(PRENTL VSTS/BTH WT/RACE)

15. Month Prenatal Care Began by Number of Prenatal Visits by Race 80
(MPCB/PRENTL VSTS/RACE)

16. Medical History by Birth Weight by Race 86
(MED HIS/BTH WT/RACE)

17. Maternal Smoking by Birth Weight by Race 89
(SMOKING/BTH WT/RACE)

18. Maternal Weight Gain by Birth Weight by Race 92
(WT GAIN/BTH WT/RACE)

19. Obstetric Procedures by Birth Weight by Race 95
(OB PROCS/BTH WT/RACE)

20. Events of Labor/Delivery by Birth Weight by Race 98
(EV OF LAB/BTH WT/RACE)

21 Method of Delivery by Birth Weight by Race 101
(METH DEL/BTH WT/RACE)

22. Conditions of Newborn by Birth Weight by Race 104
(CONDITION/BTH WT/RACE)

RESIDENT BIRTHS, YEAR 0001
EXAMPLE AGE/BW/MS/RACE

AGE AGE OF MOTHER BY BW BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS OF MOTHER VALUE = 1 MARRIED
RACE VALUE = 1 WHITE

		BW		
	COUNT / ROW PCT / COL PCT	2500 GMS OR LESS (1)	OVER 2500 GMS (2)	ROW TOTAL
AGE				
	20	355 / 14.2 / 10.4	2150 / 85.8 / 9.4	2505 / 9.5
	21	275 / 12.9 / 8.0	1855 / 87.1 / 8.1	2130 / 8.1
	22	209 / 11.5 / 6.1	1615 / 88.5 / 7.0	1824 / 6.9
	23	175 / 11.0 / 5.1	1420 / 89.0 / 6.2	1595 / 6.1
	24	177 / 12.9 / 5.2	1190 / 87.1 / 5.2	1367 / 5.2
25 - 29	25	503 / 11.2 / 14.7	3990 / 88.8 / 17.4	4493 / 17.1
30 - 34	26	216 / 11.4 / 6.3	1678 / 88.6 / 7.3	1894 / 7.2
35 - 39	27	97 / 12.4 / 2.8	685 / 87.6 / 3.0	782 / 3.0
40 - 44	28	35 / 15.0 / 1.0	199 / 85.0 / 0.9	234 / 0.9
	COLUMN TOTAL	3425 / 13.0	22925 / 87.0	26350 / 100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE SECTIONS. THE FIRST SECTION INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND SECTION SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR MARRIED WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD SECTION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 MARRIED WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'BW' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 MARRIED WHITE BIRTHS THAT WEIGHED 2500 GRAMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 MARRIED WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2, AND 10.4. THIS MEANS THAT

- 355 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 14.2 PERCENT OF 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 10.4 PERCENT OF 3425 MARRIED WHITE BIRTHS WEIGHING 2500 GRAMS OR LESS WERE TO WOMEN AGE 20.

AGE OF MOTHER BY BIRTH ORDER

BY MARITAL STATUS

BY RACE

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
13		1										1
		100.0										.0
		.0										
14		12										12
		100.0										.0
		.1										
15		66	10	1								77
		85.7	13.0	1.3								.1
		.3	.0	.0								
16		192	39	3	1							235
		81.7	16.6	1.3	.4							.4
		.9	.2	.0	.0							
17		460	145	22	2						2	631
		72.9	23.0	3.5	.3						.3	1.1
		2.3	.7	.2	.0						2.5	
18		782	326	64	11	4	1				2	1190
		65.7	27.4	5.4	.9	.3	.1				.2	2.0
		3.8	1.6	.6	.2	.2	.1				2.5	
19		1142	593	169	45	11				2	4	1966
		58.1	30.2	8.6	2.3	.6				.1	.2	3.3
		5.6	2.9	1.6	1.0	.6				1.8	5.1	
20		1426	889	301	79	18	6	1	1	1	2	2724
		52.3	32.6	11.0	2.9	.7	.2	.0	.0	.0	.1	4.6
		7.0	4.4	2.8	1.8	1.0	.8	.3	.8	.9	2.5	
21		1431	1076	429	142	42	9	4			5	3138
		45.6	34.3	13.7	4.5	1.3	.3	.1			.2	5.3
		7.0	5.3	3.9	3.2	2.3	1.2	1.3			6.3	
22		1340	1150	509	159	62	21	4	2		1	3248
		41.3	35.4	15.7	4.9	1.9	.6	.1	.1		.0	5.5
		6.6	5.7	4.7	3.5	3.3	2.9	1.3	1.7		1.3	
23		1302	1211	548	201	76	24	4			5	3371
		38.6	35.9	16.3	6.0	2.3	.7	.1			.1	5.7
		6.4	6.0	5.0	4.5	4.1	3.3	1.3			6.3	
(Continued)	Column Total	20415	20293	10877	4493	1863	728	311	119	114	79	59292
		34.4	34.2	18.3	7.6	3.1	1.2	.5	.2	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	24	1297	1151	554	220	68	15	8	2	1	6	3322
		39.0	34.6	16.7	6.6	2.0	.5	.2	.1	.0	.2	5.6
		6.4	5.7	5.1	4.9	3.7	2.1	2.6	1.7	.9	7.6	
25 - 29	25	6800	6813	3533	1348	543	198	69	27	20	20	19371
		35.1	35.2	18.2	7.0	2.8	1.0	.4	.1	.1	.1	32.7
		33.3	33.6	32.5	30.0	29.1	27.2	22.2	22.7	17.5	25.3	
30 - 34	26	3247	5304	3370	1472	618	237	109	41	31	20	14449
		22.5	36.7	23.3	10.2	4.3	1.6	.8	.3	.2	.1	24.4
		15.9	26.1	31.0	32.8	33.2	32.6	35.0	34.5	27.2	25.3	
35 - 39	27	820	1432	1224	698	364	173	85	36	32	10	4874
		16.8	29.4	25.1	14.3	7.5	3.5	1.7	.7	.7	.2	8.2
		4.0	7.1	11.3	15.5	19.5	23.8	27.3	30.3	28.1	12.7	
40 - 44	28	87	148	142	107	55	41	24	9	24	2	639
		13.6	23.2	22.2	16.7	8.6	6.4	3.8	1.4	3.8	.3	1.1
		.4	.7	1.3	2.4	3.0	5.6	7.7	7.6	21.1	2.5	
45 AND OVER	29	4	2	3	6	2	2	3	1	3		26
		15.4	7.7	11.5	23.1	7.7	7.7	11.5	3.8	11.5		.0
		.0	.0	.0	.1	.1	.3	1.0	.8	2.6		
NOT STATED	30	6	4	5	2		1					18
		33.3	22.2	27.8	11.1		5.6					.0
		.0	.0	.0	.0		.1					
	Column Total	20415	20293	10877	4493	1863	728	311	119	114	79	59292
		34.4	34.2	18.3	7.6	3.1	1.2	.5	.2	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12		1										1
		100.0										.0
		.0										
13		10										10
		100.0										.1
		.2										
14		54	3	1								58
		93.1	5.2	1.7								.5
		1.0	.1	.1								
15		181	11	2								194
		93.3	5.7	1.0								1.7
		3.3	.4	.1								
16		489	60	6								555
		88.1	10.8	1.1								4.9
		8.8	2.1	.4								
17		801	149	21	4						2	977
		82.0	15.3	2.1	.4						.2	8.6
		14.4	5.1	1.4	.5						11.8	
18		816	287	59	6	2	2				1	1173
		69.6	24.5	5.0	.5	.2	.2				.1	10.3
		14.7	9.9	3.8	.8	.5	1.4				5.9	
19		717	355	120	17	10	1				3	1223
		58.6	29.0	9.8	1.4	.8	.1				.2	10.7
		12.9	12.2	7.7	2.3	2.7	.7				17.6	
20		595	343	140	43	14	2					1137
		52.3	30.2	12.3	3.8	1.2	.2					10.0
		10.7	11.8	9.0	5.9	3.8	1.4					
21		490	321	160	74	21	1	3		1		1071
		45.8	30.0	14.9	6.9	2.0	.1	.3		.1		9.4
		8.8	11.1	10.3	10.1	5.7	.7	4.6		5.0		
22		337	247	151	65	21	5	3			2	831
		40.6	29.7	18.2	7.8	2.5	.6	.4			.2	7.3
		6.1	8.5	9.7	8.9	5.7	3.6	4.6			11.8	
(Continued)	Column Total	5558 48.8	2904 25.5	1552 13.6	730 6.4	367 3.2	138 1.2	65 .6	28 .2	20 .2	17 .1	11379 100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	23	216	200	138	60	29	7	3	2		1	656
		32.9	30.5	21.0	9.1	4.4	1.1	.5	.3		.2	5.8
		3.9	6.9	8.9	8.2	7.9	5.1	4.6	7.1		5.9	
	24	159	165	126	48	25	8	5	1		3	540
		29.4	30.6	23.3	8.9	4.6	1.5	.9	.2		.6	4.7
		2.9	5.7	8.1	6.6	6.8	5.8	7.7	3.6		17.6	
	25	461	467	371	221	120	51	24	10	2	3	1730
25 - 29		26.6	27.0	21.4	12.8	6.9	2.9	1.4	.6	.1	.2	15.2
		8.3	16.1	23.9	30.3	32.7	37.0	36.9	35.7	10.0	17.6	
	26	155	219	184	122	75	43	16	10	8	2	834
30 - 34		18.6	26.3	22.1	14.6	9.0	5.2	1.9	1.2	1.0	.2	7.3
		2.8	7.5	11.9	16.7	20.4	31.2	24.6	35.7	40.0	11.8	
	27	62	70	60	60	38	15	5	3	6		319
35 - 39		19.4	21.9	18.8	18.8	11.9	4.7	1.6	.9	1.9		2.8
		1.1	2.4	3.9	8.2	10.4	10.9	7.7	10.7	30.0		
	28	10	5	13	9	12	3	6	2	3		63
40 - 44		15.9	7.9	20.6	14.3	19.0	4.8	9.5	3.2	4.8		.6
		.2	.2	.8	1.2	3.3	2.2	9.2	7.1	15.0		
	30	4	2		1							7
NOT	STATED	57.1	28.6		14.3							.1
		.1	.1		.1							
	Column Total	5558	2904	1552	730	367	138	65	28	20	17	11379
		48.8	25.5	13.6	6.4	3.2	1.2	.6	.2	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	5TH (5)	6TH (6)	7TH (7)	NOT STATED (10)	Row Total
18		1							1
		100.0							6.3
		50.0							
20			1					1	2
			50.0					50.0	12.5
			16.7					33.3	
21			1						1
			100.0						6.3
			16.7						
22			1					1	2
			50.0					50.0	12.5
			16.7					33.3	
23			1						1
			100.0						6.3
			16.7						
25			1	2			1		4
25 - 29			25.0	50.0			25.0		25.0
			16.7	100.0			100.0		
26		1			1	1			3
30 - 34		33.3			33.3	33.3			18.8
		50.0			100.0	100.0			
27			1						1
35 - 39			100.0						6.3
			16.7						
30								1	1
NOT STATED								100.0	6.3
								33.3	
Column Total		2	6	2	1	1	1	3	16
		12.5	37.5	12.5	6.3	6.3	6.3	18.8	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
13		2										2
		100.0										.0
		.1										
14		1										1
		100.0										.0
		.0										
15		3	1									4
		75.0	25.0									.0
		.1	.0									
16		7	9								1	17
		41.2	52.9								5.9	.1
		.3	.2								3.6	
17		21	16	2	1							40
		52.5	40.0	5.0	2.5							.3
		.8	.4	.1	.1							
18		50	47	14	5	1						117
		42.7	40.2	12.0	4.3	.9						1.0
		1.9	1.3	.5	.3	.1						
19		110	78	38	7	6	1					240
		45.8	32.5	15.8	2.9	2.5	.4					2.0
		4.1	2.1	1.4	.5	.8	.3					
20		170	162	71	33	9	3	1			3	452
		37.6	35.8	15.7	7.3	2.0	.7	.2			.7	3.7
		6.4	4.4	2.7	2.1	1.1	.9	.6			10.7	
21		181	221	147	61	19	9	1			1	640
		28.3	34.5	23.0	9.5	3.0	1.4	.2			.2	5.3
		6.8	5.9	5.5	3.9	2.4	2.6	.6			3.6	
22		200	233	177	79	32	10	3	1		1	736
		27.2	31.7	24.0	10.7	4.3	1.4	.4	.1		.1	6.1
		7.5	6.3	6.7	5.1	4.0	2.9	1.7	1.4		3.6	
23		172	237	152	90	34	13	4				702
		24.5	33.8	21.7	12.8	4.8	1.9	.6				5.8
		6.5	6.4	5.7	5.8	4.3	3.8	2.3				
(Continued)	Column Total	2666	3719	2661	1547	792	341	172	72	75	28	12073
		22.1	30.8	22.0	12.8	6.6	2.8	1.4	.6	.6	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	24	209	245	167	103	50	17	9	3			803
		26.0	30.5	20.8	12.8	6.2	2.1	1.1	.4			6.7
		7.8	6.6	6.3	6.7	6.3	5.0	5.2	4.2			
	25	971	1364	925	510	276	101	49	23	11	14	4244
25 - 29		22.9	32.1	21.8	12.0	6.5	2.4	1.2	.5	.3	.3	35.2
		36.4	36.7	34.8	33.0	34.8	29.6	28.5	31.9	14.7	50.0	
	26	441	835	694	450	234	119	67	22	25	7	2894
30 - 34		15.2	28.9	24.0	15.5	8.1	4.1	2.3	.8	.9	.2	24.0
		16.5	22.5	26.1	29.1	29.5	34.9	39.0	30.6	33.3	25.0	
	27	113	235	236	178	110	55	34	20	27	1	1009
35 - 39		11.2	23.3	23.4	17.6	10.9	5.5	3.4	2.0	2.7	.1	8.4
		4.2	6.3	8.9	11.5	13.9	16.1	19.8	27.8	36.0	3.6	
	28	14	32	36	30	20	11	4	3	12		162
40 - 44		8.6	19.8	22.2	18.5	12.3	6.8	2.5	1.9	7.4		1.3
		.5	.9	1.4	1.9	2.5	3.2	2.3	4.2	16.0		
	29					1	2					3
45 AND OVER						33.3	66.7					.0
						.1	.6					
	30	1	4	2								7
NOT STATED		14.3	57.1	28.6								.1
		.0	.1	.1								
	Column Total	2666	3719	2661	1547	792	341	172	72	75	28	12073
		22.1	30.8	22.0	12.8	6.6	2.8	1.4	.6	.6	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11	2										2
	100.0										.0
	.0										
12	12										12
	100.0										.1
	.2										
13	51	5									56
	91.1	8.9									.3
	.7	.1									
14	194	21	1								216
	89.8	9.7	.5								1.0
	2.6	.4	.0								
15	507	82	8	1							598
	84.8	13.7	1.3	.2							2.8
	6.8	1.4	.2	.0							
16	704	207	37	3						1	952
	73.9	21.7	3.9	.3						.1	4.5
	9.4	3.5	1.0	.1						2.8	
17	905	416	121	20	1					1	1464
	61.8	28.4	8.3	1.4	.1					.1	6.9
	12.1	7.0	3.1	1.0	.1					2.8	
18	1051	620	204	46	6	3		1		2	1933
	54.4	32.1	10.6	2.4	.3	.2		.1		.1	9.1
	14.0	10.5	5.3	2.2	.6	.7		.9		5.6	
19	897	670	352	104	21	3	2	1		3	2053
	43.7	32.6	17.1	5.1	1.0	.1	.1	.0		.1	9.7
	12.0	11.3	9.1	5.1	2.2	.7	1.0	.9		8.3	
20	773	663	402	175	37	20	6	2		4	2082
	37.1	31.8	19.3	8.4	1.8	1.0	.3	.1		.2	9.8
	10.3	11.2	10.4	8.5	3.8	4.5	3.0	1.8		11.1	
21	620	634	475	214	94	23	6	2	1	5	2074
	29.9	30.6	22.9	10.3	4.5	1.1	.3	.1	.0	.2	9.8
	8.3	10.7	12.3	10.4	9.8	5.1	3.0	1.8	1.3	13.9	
Column Total	7493	5915	3862	2055	963	448	199	110	77	36	21158
	35.4	28.0	18.3	9.7	4.6	2.1	.9	.5	.4	.2	100.0

(Continued)

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE	BO Count / Row Pct / Col Pct	1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	22	389	506	393	191	79	28	9	3		2	1600
		24.3	31.6	24.6	11.9	4.9	1.8	.6	.2		.1	7.6
		5.2	8.6	10.2	9.3	8.2	6.3	4.5	2.7		5.6	
	23	302	365	303	183	84	31	12	4	2		1286
		23.5	28.4	23.6	14.2	6.5	2.4	.9	.3	.2		6.1
		4.0	6.2	7.8	8.9	8.7	6.9	6.0	3.6	2.6		
	24	222	301	238	143	67	37	12	5	2	8	1035
		21.4	29.1	23.0	13.8	6.5	3.6	1.2	.5	.2	.8	4.9
		3.0	5.1	6.2	7.0	7.0	8.3	6.0	4.5	2.6	22.2	
	25	609	947	823	569	304	170	77	37	25	6	3567
25 - 29		17.1	26.5	23.1	16.0	8.5	4.8	2.2	1.0	.7	.2	16.9
		8.1	16.0	21.3	27.7	31.6	37.9	38.7	33.6	32.5	16.7	
	26	199	361	359	288	189	86	43	34	21	2	1582
30 - 34		12.6	22.8	22.7	18.2	11.9	5.4	2.7	2.1	1.3	.1	7.5
		2.7	6.1	9.3	14.0	19.6	19.2	21.6	30.9	27.3	5.6	
	27	47	102	136	103	68	42	28	18	20	2	566
35 - 39		8.3	18.0	24.0	18.2	12.0	7.4	4.9	3.2	3.5	.4	2.7
		.6	1.7	3.5	5.0	7.1	9.4	14.1	16.4	26.0	5.6	
	28	2	11	9	14	12	5	2	3	6		64
40 - 44		3.1	17.2	14.1	21.9	18.8	7.8	3.1	4.7	9.4		.3
		.0	.2	.2	.7	1.2	1.1	1.0	2.7	7.8		
	29	1						1				2
45 AND OVER		50.0						50.0				.0
		.0						.5				
	30	6	4	1	1	1		1				14
NOT STATED		42.9	28.6	7.1	7.1	7.1		7.1				.1
		.1	.1	.0	.0	.1		.5				
	Column Total	7493	5915	3862	2055	963	448	199	110	77	36	21158
		35.4	28.0	18.3	9.7	4.6	2.1	.9	.5	.4	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 2 NONWHITE

AGE	BO Count / Row Pct / Col Pct	2ND	3RD	5TH	8TH	NOT STATED	Row Total
20		1					1
		100.0					14.3
		50.0					
25 - 29	25		2	1	1	1	5
			40.0	20.0	20.0	20.0	71.4
			100.0	100.0	100.0	100.0	
30 - 34	26	1					1
		100.0					14.3
		50.0					
	Column Total	2	2	1	1	1	7
		28.6	28.6	14.3	14.3	14.3	100.0

Number of Missing Observations: 0

AGE OF MOTHER

BY BIRTH ORDER

BY RACE

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11		2										2
		100.0										.0
		.0										
12		13										13
		100.0										.0
		.0										
13		64	5									69
		92.8	7.2									.1
		.2	.0									
14		261	24	2								287
		90.9	8.4	.7								.3
		.7	.1	.0								
15		757	104	11	1							873
		86.7	11.9	1.3	.1							.8
		2.1	.3	.1	.0							
16		1392	315	46	4						2	1759
		79.1	17.9	2.6	.2						.1	1.7
		3.9	1.0	.2	.0						1.2	
17		2187	726	166	27	1					5	3112
		70.3	23.3	5.3	.9	.0					.2	3.0
		6.1	2.2	.9	.3	.0					3.0	
18		2700	1280	341	68	13	6		1		5	4414
		61.2	29.0	7.7	1.5	.3	.1		.0		.1	4.2
		7.5	3.9	1.8	.8	.3	.4		.3		3.0	
19		2866	1696	679	173	48	5	2	1	2	10	5482
		52.3	30.9	12.4	3.2	.9	.1	.0	.0	.0	.2	5.3
		7.9	5.2	3.6	2.0	1.2	.3	.3	.3	.7	6.1	
20		2964	2059	914	330	78	31	8	3	1	10	6398
		46.3	32.2	14.3	5.2	1.2	.5	.1	.0	.0	.2	6.2
		8.2	6.3	4.8	3.7	2.0	1.9	1.1	.9	.3	6.1	
21		2722	2253	1211	491	176	42	14	2	2	11	6924
		39.3	32.5	17.5	7.1	2.5	.6	.2	.0	.0	.2	6.7
		7.5	6.9	6.4	5.6	4.4	2.5	1.9	.6	.7	6.7	
	Column Total	36134	32839	18956	8825	3987	1656	748	330	286	164	103925
		34.8	31.6	18.2	8.5	3.8	1.6	.7	.3	.3	.2	100.0

(Continued)

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE		BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	22	2266	2137	1230	494	194	64	19	6		7	6417
		35.3	33.3	19.2	7.7	3.0	1.0	.3	.1		.1	6.2
		6.3	6.5	6.5	5.6	4.9	3.9	2.5	1.8		4.3	
	23	1992	2014	1141	534	223	75	23	6	2	6	6016
		33.1	33.5	19.0	8.9	3.7	1.2	.4	.1	.0	.1	5.8
		5.5	6.1	6.0	6.1	5.6	4.5	3.1	1.8	.7	3.7	
	24	1887	1862	1085	514	210	77	34	11	3	17	5700
		33.1	32.7	19.0	9.0	3.7	1.4	.6	.2	.1	.3	5.5
		5.2	5.7	5.7	5.8	5.3	4.6	4.5	3.3	1.0	10.4	
25 - 29	25	8841	9592	5656	2648	1244	520	220	98	58	44	28921
		30.6	33.2	19.6	9.2	4.3	1.8	.8	.3	.2	.2	27.8
		24.5	29.2	29.8	30.0	31.2	31.4	29.4	29.7	20.3	26.8	
30 - 34	26	4043	6720	4607	2332	1117	486	235	107	85	31	19763
		20.5	34.0	23.3	11.8	5.7	2.5	1.2	.5	.4	.2	19.0
		11.2	20.5	24.3	26.4	28.0	29.3	31.4	32.4	29.7	18.9	
35 - 39	27	1042	1840	1656	1039	580	285	152	77	85	13	6769
		15.4	27.2	24.5	15.3	8.6	4.2	2.2	1.1	1.3	.2	6.5
		2.9	5.6	8.7	11.8	14.5	17.2	20.3	23.3	29.7	7.9	
40 - 44	28	113	196	200	160	99	60	36	17	45	2	928
		12.2	21.1	21.6	17.2	10.7	6.5	3.9	1.8	4.8	.2	.9
		.3	.6	1.1	1.8	2.5	3.6	4.8	5.2	15.7	1.2	
45 AND OVER	29	5	2	3	6	3	4	4	1	3		31
		16.1	6.5	9.7	19.4	9.7	12.9	12.9	3.2	9.7		.0
		.0	.0	.0	.1	.1	.2	.5	.3	1.0		
NOT STATED	30	17	14	8	4	1	1	1			1	47
		36.2	29.8	17.0	8.5	2.1	2.1	2.1			2.1	.0
		.0	.0	.0	.0	.0	.1	.1			.6	
	Column Total	36134	32839	18956	8825	3987	1656	748	330	286	164	103925
		34.8	31.6	18.2	8.5	3.8	1.6	.7	.3	.3	.2	100.0

Number of Missing Observations: 0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12		1										1
		100.0										.0
		.0										
13		11										11
		100.0										.0
		.0										
14		66	3	1								70
		94.3	4.3	1.4								.1
		.3	.0	.0								
15		247	21	3								271
		91.1	7.7	1.1								.4
		1.0	.1	.0								
16		681	99	9	1							790
		86.2	12.5	1.1	.1							1.1
		2.6	.4	.1	.0							
17		1261	294	43	6						4	1608
		78.4	18.3	2.7	.4						.2	2.3
		4.9	1.3	.3	.1						4.0	
18		1599	613	123	17	6	3				3	2364
		67.6	25.9	5.2	.7	.3	.1				.1	3.3
		6.2	2.6	1.0	.3	.3	.3				3.0	
19		1859	948	289	62	21	1			2	7	3189
		58.3	29.7	9.1	1.9	.7	.0			.1	.2	4.5
		7.2	4.1	2.3	1.2	.9	.1			1.5	7.1	
20		2021	1233	441	122	32	8	1	1	1	3	3863
		52.3	31.9	11.4	3.2	.8	.2	.0	.0	.0	.1	5.5
		7.8	5.3	3.5	2.3	1.4	.9	.3	.7	.7	3.0	
21		1921	1398	589	216	63	10	7		1	5	4210
		45.6	33.2	14.0	5.1	1.5	.2	.2		.0	.1	6.0
		7.4	6.0	4.7	4.1	2.8	1.2	1.9		.7	5.1	
22		1677	1398	660	224	83	26	7	2		4	4081
		41.1	34.3	16.2	5.5	2.0	.6	.2	.0		.1	5.8
		6.5	6.0	5.3	4.3	3.7	3.0	1.9	1.4		4.0	
(Continued)	Column Total	25975	23203	12431	5223	2231	867	377	147	134	99	70687
		36.7	32.8	17.6	7.4	3.2	1.2	.5	.2	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE		BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
	23	1518	1412	686	261	105	31	7	2		6	4028
		37.7	35.1	17.0	6.5	2.6	.8	.2	.0		.1	5.7
		5.8	6.1	5.5	5.0	4.7	3.6	1.9	1.4		6.1	
	24	1456	1316	680	268	93	23	13	3	1	9	3862
		37.7	34.1	17.6	6.9	2.4	.6	.3	.1	.0	.2	5.5
		5.6	5.7	5.5	5.1	4.2	2.7	3.4	2.0	.7	9.1	
25 - 29	25	7261	7281	3906	1569	663	249	94	37	22	23	21105
		34.4	34.5	18.5	7.4	3.1	1.2	.4	.2	.1	.1	29.9
		28.0	31.4	31.4	30.0	29.7	28.7	24.9	25.2	16.4	23.2	
30 - 34	26	3403	5523	3554	1594	694	281	125	51	39	22	15286
		22.3	36.1	23.3	10.4	4.5	1.8	.8	.3	.3	.1	21.6
		13.1	23.8	28.6	30.5	31.1	32.4	33.2	34.7	29.1	22.2	
35 - 39	27	882	1503	1284	758	402	188	90	39	38	10	5194
		17.0	28.9	24.7	14.6	7.7	3.6	1.7	.8	.7	.2	7.3
		3.4	6.5	10.3	14.5	18.0	21.7	23.9	26.5	28.4	10.1	
40 - 44	28	97	153	155	116	67	44	30	11	27	2	702
		13.8	21.8	22.1	16.5	9.5	6.3	4.3	1.6	3.8	.3	1.0
		.4	.7	1.2	2.2	3.0	5.1	8.0	7.5	20.1	2.0	
45 AND OVER	29	4	2	3	6	2	2	3	1	3		26
		15.4	7.7	11.5	23.1	7.7	7.7	11.5	3.8	11.5		.0
		.0	.0	.0	.1	.1	.2	.8	.7	2.2		
NOT STATED	30	10	6	5	3		1				1	26
		38.5	23.1	19.2	11.5		3.8				3.8	.0
		.0	.0	.0	.1		.1				1.0	
	Column Total	25975	23203	12431	5223	2231	867	377	147	134	99	70687
		36.7	32.8	17.6	7.4	3.2	1.2	.5	.2	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11		2										2
		100.0										.0
		.0										
12		12										12
		100.0										.0
		.1										
13		53	5									58
		91.4	8.6									.2
		.5	.1									
14		195	21	1								217
		89.9	9.7	.5								.7
		1.9	.2	.0								
15		510	83	8	1							602
		84.7	13.8	1.3	.2							1.8
		5.0	.9	.1	.0							
16		711	216	37	3						2	969
		73.4	22.3	3.8	.3						.2	2.9
		7.0	2.2	.6	.1						3.1	
17		926	432	123	21	1					1	1504
		61.6	28.7	8.2	1.4	.1					.1	4.5
		9.1	4.5	1.9	.6	.1					1.5	
18		1101	667	218	51	7	3		1		2	2050
		53.7	32.5	10.6	2.5	.3	.1		.0		.1	6.2
		10.8	6.9	3.3	1.4	.4	.4		.5		3.1	
19		1007	748	390	111	27	4	2	1		3	2293
		43.9	32.6	17.0	4.8	1.2	.2	.1	.0		.1	6.9
		9.9	7.8	6.0	3.1	1.5	.5	.5	.5		4.6	
20		943	826	473	208	46	23	7	2		7	2535
		37.2	32.6	18.7	8.2	1.8	.9	.3	.1		.3	7.6
		9.3	8.6	7.2	5.8	2.6	2.9	1.9	1.1		10.8	
21		801	855	622	275	113	32	7	2	1	6	2714
		29.5	31.5	22.9	10.1	4.2	1.2	.3	.1	.0	.2	8.2
		7.9	8.9	9.5	7.6	6.4	4.1	1.9	1.1	.7	9.2	
(Continued)	Column Total	10159	9636	6525	3602	1756	789	371	183	152	65	33238
		30.6	29.0	19.6	10.8	5.3	2.4	1.1	.6	.5	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	22	589	739	570	270	111	38	12	4		3	2336
		25.2	31.6	24.4	11.6	4.8	1.6	.5	.2		.1	7.0
		5.8	7.7	8.7	7.5	6.3	4.8	3.2	2.2		4.6	
	23	474	602	455	273	118	44	16	4	2		1988
		23.8	30.3	22.9	13.7	5.9	2.2	.8	.2	.1		6.0
		4.7	6.2	7.0	7.6	6.7	5.6	4.3	2.2	1.3		
	24	431	546	405	246	117	54	21	8	2	8	1838
		23.4	29.7	22.0	13.4	6.4	2.9	1.1	.4	.1	.4	5.5
		4.2	5.7	6.2	6.8	6.7	6.8	5.7	4.4	1.3	12.3	
	25	1580	2311	1750	1079	581	271	126	61	36	21	7816
25 - 29		20.2	29.6	22.4	13.8	7.4	3.5	1.6	.8	.5	.3	23.5
		15.6	24.0	26.8	30.0	33.1	34.3	34.0	33.3	23.7	32.3	
	26	640	1197	1053	738	423	205	110	56	46	9	4477
30 - 34		14.3	26.7	23.5	16.5	9.4	4.6	2.5	1.3	1.0	.2	13.5
		6.3	12.4	16.1	20.5	24.1	26.0	29.6	30.6	30.3	13.8	
	27	160	337	372	281	178	97	62	38	47	3	1575
35 - 39		10.2	21.4	23.6	17.8	11.3	6.2	3.9	2.4	3.0	.2	4.7
		1.6	3.5	5.7	7.8	10.1	12.3	16.7	20.8	30.9	4.6	
	28	16	43	45	44	32	16	6	6	18		226
40 - 44		7.1	19.0	19.9	19.5	14.2	7.1	2.7	2.7	8.0		.7
		.2	.4	.7	1.2	1.8	2.0	1.6	3.3	11.8		
	29	1				1	2	1				5
45 AND OVER		20.0				20.0	40.0	20.0				.0
		.0				.1	.3	.3				
	30	7	8	3	1	1		1				21
NOT STATED		33.3	38.1	14.3	4.8	4.8		4.8				.1
		.1	.1	.0	.0	.1		.3				
	Column Total	10159	9636	6525	3602	1756	789	371	183	152	65	33238
		30.6	29.0	19.6	10.8	5.3	2.4	1.1	.6	.5	.2	100.0

Number of Missing Observations: 0

AGE OF MOTHER

BY BIRTH WEIGHT

BY RACE

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
11				2		2
				100.0		.0
				.0		
12			4	9		13
			30.8	69.2		.0
			.1	.0		
13		3	4	62		69
		4.3	5.8	89.9		.1
		.2	.1	.1		
14		7	28	252		287
		2.4	9.8	87.8		.3
		.4	.4	.3		
15		32	93	748		873
		3.7	10.7	85.7		.8
		1.9	1.3	.8		
16		63	161	1535		1759
		3.6	9.2	87.3		1.7
		3.7	2.3	1.6		
17		68	284	2760		3112
		2.2	9.1	88.7		3.0
		3.9	4.0	2.9		
18		88	402	3922	2	4414
		2.0	9.1	88.9	.0	4.2
		5.1	5.7	4.1	5.6	
19		92	430	4959	1	5482
		1.7	7.8	90.5	.0	5.3
		5.3	6.1	5.2	2.8	
20		120	496	5782		6398
		1.9	7.8	90.4		6.2
		7.0	7.1	6.1		
21		114	438	6368	4	6924
		1.6	6.3	92.0	.1	6.7
		6.6	6.2	6.7	11.1	
(Continued)	Column Total	1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

AGE		BW Count Row Pct Col Pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
	22		93 1.4 5.4	418 6.5 6.0	5898 91.9 6.2	8 .1 22.2	6417 6.2
	23		72 1.2 4.2	353 5.9 5.0	5585 92.8 5.9	6 .1 16.7	6016 5.8
	24		76 1.3 4.4	347 6.1 4.9	5277 92.6 5.5		5700 5.5
25 - 29	25		438 1.5 25.4	1788 6.2 25.5	26690 92.3 28.1	5 .0 13.9	28921 27.8
30 - 34	26		307 1.6 17.8	1169 5.9 16.6	18280 92.5 19.2	7 .0 19.4	19763 19.0
35 - 39	27		124 1.8 7.2	539 8.0 7.7	6103 90.2 6.4	3 .0 8.3	6769 6.5
40 - 44	28		26 2.8 1.5	68 7.3 1.0	834 89.9 .9		928 .9
45 AND OVER	29			1 3.2 .0	30 96.8 .0		31 .0
NOT STATED	30		1 2.1 .1	2 4.3 .0	44 93.6 .0		47 .0
	Column Total		1724 1.7	7025 6.8	95140 91.5	36 .0	103925 100.0

Number of Missing Observations: 0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

AGE	BW Count Row Pct Col Pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
12			1			1
			100.0			.0
			.0			
13			11			11
			100.0			.0
			.0			
14		4	66			70
		5.7	94.3			.1
		.1	.1			
15		5	21	245		271
		1.8	7.7	90.4		.4
		.7	.6	.4		
16		20	63	707		790
		2.5	8.0	89.5		1.1
		2.7	1.7	1.1		
17		26	117	1465		1608
		1.6	7.3	91.1		2.3
		3.5	3.1	2.2		
18		30	180	2152	2	2364
		1.3	7.6	91.0	.1	3.3
		4.1	4.8	3.3	13.3	
19		30	225	2934		3189
		.9	7.1	92.0		4.5
		4.1	6.0	4.4		
20		51	234	3578		3863
		1.3	6.1	92.6		5.5
		6.9	6.2	5.4		
21		44	196	3969	1	4210
		1.0	4.7	94.3	.0	6.0
		5.9	5.2	6.0	6.7	
22		38	217	3822	4	4081
		.9	5.3	93.7	.1	5.8
		5.1	5.8	5.8	26.7	
	Column Total	740 1.0	3757 5.3	66175 93.6	15 .0	70687 100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

AGE		BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
	23	31	188	3807	2	4028
		.8	4.7	94.5	.0	5.7
		4.2	5.0	5.8	13.3	
	24	36	178	3648		3862
		.9	4.6	94.5		5.5
		4.9	4.7	5.5		
	25	189	1005	19909	2	21105
25 - 29		.9	4.8	94.3	.0	29.9
		25.5	26.8	30.1	13.3	
	26	158	752	14373	3	15286
30 - 34		1.0	4.9	94.0	.0	21.6
		21.4	20.0	21.7	20.0	
	27	63	332	4798	1	5194
35 - 39		1.2	6.4	92.4	.0	7.3
		8.5	8.8	7.3	6.7	
	28	18	44	640		702
40 - 44		2.6	6.3	91.2		1.0
		2.4	1.2	1.0		
	29		1	25		26
45 AND OVER			3.8	96.2		.0
			.0	.0		
	30	1		25		26
NOT STATED		3.8		96.2		.0
		.1		.0		
	Column Total	740	3757	66175	15	70687
		1.0	5.3	93.6	.0	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
11				2		2
				100.0		.0
				.0		
12			4	8		12
			33.3	66.7		.0
			.1	.0		
13		3	4	51		58
		5.2	6.9	87.9		.2
		.3	.1	.2		
14		7	24	186		217
		3.2	11.1	85.7		.7
		.7	.7	.6		
15		27	72	503		602
		4.5	12.0	83.6		1.8
		2.7	2.2	1.7		
16		43	98	828		969
		4.4	10.1	85.4		2.9
		4.4	3.0	2.9		
17		42	167	1295		1504
		2.8	11.1	86.1		4.5
		4.3	5.1	4.5		
18		58	222	1770		2050
		2.8	10.8	86.3		6.2
		5.9	6.8	6.1		
19		62	205	2025	1	2293
		2.7	8.9	88.3	.0	6.9
		6.3	6.3	7.0	4.8	
20		69	262	2204		2535
		2.7	10.3	86.9		7.6
		7.0	8.0	7.6		
21		70	242	2399	3	2714
		2.6	8.9	88.4	.1	8.2
		7.1	7.4	8.3	14.3	
	Column Total	984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

AGE	BW	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
	22	55	201	2076	4	2336
	Row Pct	2.4	8.6	88.9	.2	7.0
	Col Pct	5.6	6.2	7.2	19.0	
	23	41	165	1778	4	1988
	Row Pct	2.1	8.3	89.4	.2	6.0
	Col Pct	4.2	5.0	6.1	19.0	
	24	40	169	1629		1838
	Row Pct	2.2	9.2	88.6		5.5
	Col Pct	4.1	5.2	5.6		
	25	249	783	6781	3	7816
25 - 29	Row Pct	3.2	10.0	86.8	.0	23.5
	Col Pct	25.3	24.0	23.4	14.3	
	26	149	417	3907	4	4477
30 - 34	Row Pct	3.3	9.3	87.3	.1	13.5
	Col Pct	15.1	12.8	13.5	19.0	
	27	61	207	1305	2	1575
35 - 39	Row Pct	3.9	13.1	82.9	.1	4.7
	Col Pct	6.2	6.3	4.5	9.5	
	28	8	24	194		226
40 - 44	Row Pct	3.5	10.6	85.8		.7
	Col Pct	.8	.7	.7		
	29			5		5
45 AND OVER	Row Pct			100.0		.0
	Col Pct			.0		
	30		2	19		21
NOT STATED	Row Pct		9.5	90.5		.1
	Col Pct		.1	.1		
	Column Total	984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

Number of Missing Observations: 0

EDUCATION OF MOTHER

BY BIRTH WEIGHT

BY RACE

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

EDUC	BW Count / Row Pct / Col Pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
1 NONE OR ELEM.		82	307	3216	2	3607
		2.3	8.5	89.2	.1	3.5
		4.8	4.4	3.4	5.6	
2 H.S. 1-3 YEARS		406	1808	17118	6	19338
		2.1	9.3	88.5	.0	18.6
		23.5	25.7	18.0	16.7	
3 H.S. 4 YEARS		668	2864	36932	16	40480
		1.7	7.1	91.2	.0	39.0
		38.7	40.8	38.8	44.4	
4 COL.1-3 YEARS		331	1209	20125	5	21670
		1.5	5.6	92.9	.0	20.9
		19.2	17.2	21.2	13.9	
5 COL. 4+ YEARS		226	825	17590	1	18642
		1.2	4.4	94.4	.0	17.9
		13.1	11.7	18.5	2.8	
6 NOT STATED		11	12	159	6	188
		5.9	6.4	84.6	3.2	.2
		.6	.2	.2	16.7	
Column Total		1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Number of Missing Observations: 0

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

EDUC	BW	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
1 NONE OR ELEM.	Count	39	184	2195	2	2420
	Row Pct	1.6	7.6	90.7	.1	3.4
	Col Pct	5.3	4.9	3.3	13.3	
2 H.S. 1-3 YEARS	Count	147	808	10060	2	11017
	Row Pct	1.3	7.3	91.3	.0	15.6
	Col Pct	19.9	21.5	15.2	13.3	
3 H.S. 4 YEARS	Count	268	1415	24014	6	25703
	Row Pct	1.0	5.5	93.4	.0	36.4
	Col Pct	36.2	37.7	36.3	40.0	
4 COL.1-3 YEARS	Count	149	718	14665		15532
	Row Pct	1.0	4.6	94.4		22.0
	Col Pct	20.1	19.1	22.2		
5 COL. 4+ YEARS	Count	136	626	15134	1	15897
	Row Pct	.9	3.9	95.2	.0	22.5
	Col Pct	18.4	16.7	22.9	6.7	
6 NOT STATED	Count	1	6	107	4	118
	Row Pct	.8	5.1	90.7	3.4	.2
	Col Pct	.1	.2	.2	26.7	
Column Total		740	3757	66175	15	70687
		1.0	5.3	93.6	.0	100.0

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

EDUC	BW Count / Row Pct / Col Pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
1 NONE OR ELEM.		43	123	1021		1187
		3.6	10.4	86.0		3.6
		4.4	3.8	3.5		
2 H.S. 1-3 YEARS		259	1000	7058	4	8321
		3.1	12.0	84.8	.0	25.0
		26.3	30.6	24.4	19.0	
3 H.S. 4 YEARS		400	1449	12918	10	14777
		2.7	9.8	87.4	.1	44.5
		40.7	44.3	44.6	47.6	
4 COL.1-3 YEARS		182	491	5460	5	6138
		3.0	8.0	89.0	.1	18.5
		18.5	15.0	18.9	23.8	
5 COL. 4+ YEARS		90	199	2456		2745
		3.3	7.2	89.5		8.3
		9.1	6.1	8.5		
6 NOT STATED		10	6	52	2	70
		14.3	8.6	74.3	2.9	.2
		1.0	.2	.2	9.5	
Column Total		984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY EDUCATION OF MOTHER

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
NONE	0	80	544	546	164	27	15	1376
		5.8	39.5	39.7	11.9	2.0	1.1	1.3
		2.2	2.8	1.3	.8	.1	8.0	
FIRST MONTH	1	331	1969	6049	4321	5024	21	17715
		1.9	11.1	34.1	24.4	28.4	.1	17.0
		9.2	10.2	14.9	19.9	26.9	11.2	
SECOND MONTH	2	1022	5917	16870	10630	10512	62	45013
		2.3	13.1	37.5	23.6	23.4	.1	43.3
		28.3	30.6	41.7	49.1	56.4	33.0	
THIRD MONTH	3	800	4242	8469	3764	2229	30	19534
		4.1	21.7	43.4	19.3	11.4	.2	18.8
		22.2	21.9	20.9	17.4	12.0	16.0	
FOURTH MONTH	4	471	2612	3874	1386	472	10	8825
		5.3	29.6	43.9	15.7	5.3	.1	8.5
		13.1	13.5	9.6	6.4	2.5	5.3	
FIFTH MONTH	5	384	1751	2187	688	169	18	5197
		7.4	33.7	42.1	13.2	3.3	.3	5.0
		10.6	9.1	5.4	3.2	.9	9.6	
SIXTH MONTH	6	224	1129	1234	351	96	4	3038
		7.4	37.2	40.6	11.6	3.2	.1	2.9
		6.2	5.8	3.0	1.6	.5	2.1	
SEVENTH MONTH	7	160	685	698	205	44	3	1795
		8.9	38.2	38.9	11.4	2.5	.2	1.7
		4.4	3.5	1.7	.9	.2	1.6	
EIGHTH MONTH	8	93	350	343	106	37	5	934
		10.0	37.5	36.7	11.3	4.0	.5	.9
		2.6	1.8	.8	.5	.2	2.7	
NINTH MONTH	9	21	81	104	25	12	1	244
		8.6	33.2	42.6	10.2	4.9	.4	.2
		.6	.4	.3	.1	.1	.5	
NOT STATED	10	21	58	106	30	20	19	254
		8.3	22.8	41.7	11.8	7.9	7.5	.2
		.6	.3	.3	.1	.1	10.1	
Column Total		3607	19338	40480	21670	18642	188	103925
		3.5	18.6	39.0	20.9	17.9	.2	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
0 NONE		44	149	160	62	14	7	436
		10.1	34.2	36.7	14.2	3.2	1.6	.6
		1.8	1.4	.6	.4	.1	5.9	
1 FIRST MONTH		224	1194	4314	3350	4442	17	13541
		1.7	8.8	31.9	24.7	32.8	.1	19.2
		9.3	10.8	16.8	21.6	27.9	14.4	
2 SECOND MONTH		761	3974	12194	8255	9186	47	34417
		2.2	11.5	35.4	24.0	26.7	.1	48.7
		31.4	36.1	47.4	53.1	57.8	39.8	
3 THIRD MONTH		552	2548	5210	2504	1750	16	12580
		4.4	20.3	41.4	19.9	13.9	.1	17.8
		22.8	23.1	20.3	16.1	11.0	13.6	
4 FOURTH MONTH		306	1366	1922	749	280	2	4625
		6.6	29.5	41.6	16.2	6.1	.0	6.5
		12.6	12.4	7.5	4.8	1.8	1.7	
5 FIFTH MONTH		231	802	964	319	98	10	2424
		9.5	33.1	39.8	13.2	4.0	.4	3.4
		9.5	7.3	3.8	2.1	.6	8.5	
6 SIXTH MONTH		128	483	480	144	53	1	1289
		9.9	37.5	37.2	11.2	4.1	.1	1.8
		5.3	4.4	1.9	.9	.3	.8	
7 SEVENTH MONTH		90	296	249	78	27	1	741
		12.1	39.9	33.6	10.5	3.6	.1	1.0
		3.7	2.7	1.0	.5	.2	.8	
8 EIGHTH MONTH		54	135	124	45	21	3	382
		14.1	35.3	32.5	11.8	5.5	.8	.5
		2.2	1.2	.5	.3	.1	2.5	
9 NINTH MONTH		15	38	29	10	9		101
		14.9	37.6	28.7	9.9	8.9		.1
		.6	.3	.1	.1	.1		
10 NOT STATED		15	32	57	16	17	14	151
		9.9	21.2	37.7	10.6	11.3	9.3	.2
		.6	.3	.2	.1	.1	11.9	
Column Total		2420	11017	25703	15532	15897	118	70687
		3.4	15.6	36.4	22.0	22.5	.2	100.0

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
NONE	0	36	395	386	102	13	8	940
		3.8	42.0	41.1	10.9	1.4	.9	2.8
		3.0	4.7	2.6	1.7	.5	11.4	
FIRST MONTH	1	107	775	1735	971	582	4	4174
		2.6	18.6	41.6	23.3	13.9	.1	12.6
		9.0	9.3	11.7	15.8	21.2	5.7	
SECOND MONTH	2	261	1943	4676	2375	1326	15	10596
		2.5	18.3	44.1	22.4	12.5	.1	31.9
		22.0	23.4	31.6	38.7	48.3	21.4	
THIRD MONTH	3	248	1694	3259	1260	479	14	6954
		3.6	24.4	46.9	18.1	6.9	.2	20.9
		20.9	20.4	22.1	20.5	17.4	20.0	
FOURTH MONTH	4	165	1246	1952	637	192	8	4200
		3.9	29.7	46.5	15.2	4.6	.2	12.6
		13.9	15.0	13.2	10.4	7.0	11.4	
FIFTH MONTH	5	153	949	1223	369	71	8	2773
		5.5	34.2	44.1	13.3	2.6	.3	8.3
		12.9	11.4	8.3	6.0	2.6	11.4	
SIXTH MONTH	6	96	646	754	207	43	3	1749
		5.5	36.9	43.1	11.8	2.5	.2	5.3
		8.1	7.8	5.1	3.4	1.6	4.3	
SEVENTH MONTH	7	70	389	449	127	17	2	1054
		6.6	36.9	42.6	12.0	1.6	.2	3.2
		5.9	4.7	3.0	2.1	.6	2.9	
EIGHTH MONTH	8	39	215	219	61	16	2	552
		7.1	38.9	39.7	11.1	2.9	.4	1.7
		3.3	2.6	1.5	1.0	.6	2.9	
NINTH MONTH	9	6	43	75	15	3	1	143
		4.2	30.1	52.4	10.5	2.1	.7	.4
		.5	.5	.5	.2	.1	1.4	
NOT STATED	10	6	26	49	14	3	5	103
		5.8	25.2	47.6	13.6	2.9	4.9	.3
		.5	.3	.3	.2	.1	7.1	
Column Total		1187	8321	14777	6138	2745	70	33238
		3.6	25.0	44.5	18.5	8.3	.2	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY AGE OF MOTHER

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
0 NONE			2	5	5	21	56	86	86	91	134	113	1376
			.1	.4	.4	1.5	4.1	6.3	6.3	6.6	9.7	8.2	1.3
			15.4	7.2	1.7	2.4	3.2	2.8	1.9	1.7	2.1	1.6	
1 FIRST MONTH			1	2	24	72	141	266	392	589	780	853	17715
			.0	.0	.1	.4	.8	1.5	2.2	3.3	4.4	4.8	17.0
			7.7	2.9	8.4	8.2	8.0	8.5	8.9	10.7	12.2	12.3	
2 SECOND MONTH			2	12	54	189	472	869	1310	1763	2177	2586	45013
			.0	.0	.1	.4	1.0	1.9	2.9	3.9	4.8	5.7	43.3
			15.4	17.4	18.8	21.6	26.8	27.9	29.7	32.2	34.0	37.3	
3 THIRD MONTH			1	11	59	180	406	745	1004	1289	1439	1489	19534
			.0	.1	.3	.9	2.1	3.8	5.1	6.6	7.4	7.6	18.8
			7.7	15.9	20.6	20.6	23.1	23.9	22.7	23.5	22.5	21.5	
4 FOURTH MONTH			1	17	44	151	258	438	660	696	772	778	8825
			.0	.2	.5	1.7	2.9	5.0	7.5	7.9	8.7	8.8	8.5
			7.7	24.6	15.3	17.3	14.7	14.1	15.0	12.7	12.1	11.2	
5 FIFTH MONTH		1	3	9	43	115	190	335	438	443	492	494	5197
		.0	.1	.2	.8	2.2	3.7	6.4	8.4	8.5	9.5	9.5	5.0
		50.0	23.1	13.0	15.0	13.2	10.8	10.8	9.9	8.1	7.7	7.1	
6 SIXTH MONTH		1	1	9	25	70	114	203	259	306	276	291	3038
		.0	.0	.3	.8	2.3	3.8	6.7	8.5	10.1	9.1	9.6	2.9
		50.0	7.7	13.0	8.7	8.0	6.5	6.5	5.9	5.6	4.3	4.2	
7 SEVENTH MONTH			1	2	19	41	67	107	162	188	164	172	1795
			.1	.1	1.1	2.3	3.7	6.0	9.0	10.5	9.1	9.6	1.7
			7.7	2.9	6.6	4.7	3.8	3.4	3.7	3.4	2.6	2.5	
8 EIGHTH MONTH				1	12	28	42	49	73	76	107	96	934
				.1	1.3	3.0	4.5	5.2	7.8	8.1	11.5	10.3	.9
				1.4	4.2	3.2	2.4	1.6	1.7	1.4	1.7	1.4	
9 NINTH MONTH				1	2	4	6	9	18	19	34	21	244
				.4	.8	1.6	2.5	3.7	7.4	7.8	13.9	8.6	.2
				1.4	.7	.5	.3	.3	.4	.3	.5	.3	
10 NOT STATED			1			2	7	5	12	22	23	31	254
			.4			.8	2.8	2.0	4.7	8.7	9.1	12.2	.2
			7.7			.2	.4	.2	.3	.4	.4	.4	
Column Total		2 .0	13 .0	69 .1	287 .3	873 .8	1759 1.7	3112 3.0	4414 4.2	5482 5.3	6398 6.2	6924 6.7	103925 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	AGE 22	23	24	25	26	27	28	25 - 29 / 29	30 - 34 / 30	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0 NONE		98	105	71	272	147	68	14	1	1					1376
		7.1	7.6	5.2	19.8	10.7	4.9	1.0	.1	.1					1.3
		1.5	1.7	1.2	.9	.7	1.0	1.5	3.2	2.1					
1 FIRST MONTH		908	917	974	5745	4305	1538	195	8	5					17715
		5.1	5.2	5.5	32.4	24.3	8.7	1.1	.0	.0					17.0
		14.1	15.2	17.1	19.9	21.8	22.7	21.0	25.8	10.6					
2 SECOND MONTH		2451	2488	2451	14000	10311	3410	437	14	17					45013
		5.4	5.5	5.4	31.1	22.9	7.6	1.0	.0	.0					43.3
		38.2	41.4	43.0	48.4	52.2	50.4	47.1	45.2	36.2					
3 THIRD MONTH		1367	1206	1110	5021	3020	1014	158	5	10					19534
		7.0	6.2	5.7	25.7	15.5	5.2	.8	.0	.1					18.8
		21.3	20.0	19.5	17.4	15.3	15.0	17.0	16.1	21.3					
4 FOURTH MONTH		699	559	477	1861	991	353	64	1	5					8825
		7.9	6.3	5.4	21.1	11.2	4.0	.7	.0	.1					8.5
		10.9	9.3	8.4	6.4	5.0	5.2	6.9	3.2	10.6					
5 FIFTH MONTH		413	337	268	938	464	181	27	2	4					5197
		7.9	6.5	5.2	18.0	8.9	3.5	.5	.0	.1					5.0
		6.4	5.6	4.7	3.2	2.3	2.7	2.9	6.5	8.5					
6 SIXTH MONTH		238	193	162	513	260	98	16		3					3038
		7.8	6.4	5.3	16.9	8.6	3.2	.5		.1					2.9
		3.7	3.2	2.8	1.8	1.3	1.4	1.7		6.4					
7 SEVENTH MONTH		140	122	101	299	148	52	9		1					1795
		7.8	6.8	5.6	16.7	8.2	2.9	.5		.1					1.7
		2.2	2.0	1.8	1.0	.7	.8	1.0		2.1					
8 EIGHTH MONTH		69	52	54	161	74	37	3							934
		7.4	5.6	5.8	17.2	7.9	4.0	.3							.9
		1.1	.9	.9	.6	.4	.5	.3							
9 NINTH MONTH		19	15	16	51	17	9	3							244
		7.8	6.1	6.6	20.9	7.0	3.7	1.2							.2
		.3	.2	.3	.2	.1	.1	.3							
10 NOT STATED		15	22	16	60	26	9	2		1					254
		5.9	8.7	6.3	23.6	10.2	3.5	.8		.4					.2
		.2	.4	.3	.2	.1	.1	.2		2.1					
Column Total		6417	6016	5700	28921	19763	6769	928	31	47					103925
		6.2	5.8	5.5	27.8	19.0	6.5	.9	.0	.0					100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
0 NONE			2 .5 18.2	1 .2 1.4	8 1.8 3.0	18 4.1 2.3	24 5.5 1.5	26 6.0 1.1	31 7.1 1.0	40 9.2 1.0	31 7.1 .7	34 7.8 .8	436 .6
1 FIRST MONTH			7 .1 10.0	21 .2 7.7	78 .6 9.9	135 1.0 8.4	238 1.8 10.1	384 2.8 12.0	524 3.9 13.6	547 4.0 13.0	618 4.6 15.1	13541 19.2
2 SECOND MONTH		1 .0 9.1	16 .0 22.9	63 .2 23.2	228 .7 28.9	541 1.6 33.6	809 2.4 34.2	1167 3.4 36.6	1492 4.3 38.6	1815 5.3 43.1	1775 5.2 43.5	34417 48.7
3 THIRD MONTH		4 .0 36.4	16 .1 22.9	60 .5 22.1	186 1.5 23.5	411 3.3 25.6	573 4.6 24.2	774 6.2 24.3	911 7.2 23.6	939 7.5 22.3	869 6.9 21.3	12580 17.8
4 FOURTH MONTH		1 .0 9.1	13 .3 18.6	43 .9 15.9	112 2.4 14.2	205 4.4 12.7	315 6.8 13.3	363 7.8 11.4	403 8.7 10.4	408 8.8 9.7	368 8.0 9.0	4625 6.5
5 FIFTH MONTH		1 .0 9.1	6 .2 8.6	36 1.5 13.3	72 3.0 9.1	136 5.6 8.5	204 8.4 8.6	215 8.9 6.7	239 9.9 6.2	212 8.7 5.0	212 8.7 5.2	2424 3.4
6 SIXTH MONTH		2 .2 18.2	4 .3 5.7	24 1.9 8.9	43 3.3 5.4	77 6.0 4.8	107 8.3 4.5	116 9.0 3.6	120 9.3 3.1	122 9.5 2.9	102 7.9 2.5	1289 1.8
7 SEVENTH MONTH			4 .5 5.7	8 1.1 3.0	28 3.8 3.5	49 6.6 3.0	55 7.4 2.3	80 10.8 2.5	68 9.2 1.8	70 9.4 1.7	56 7.6 1.4	741 1.0
8 EIGHTH MONTH			3 .8 4.3	5 1.3 1.8	17 4.5 2.2	26 6.8 1.6	29 7.6 1.2	34 8.9 1.1	44 11.5 1.1	41 10.7 1.0	27 7.1 .7	382 .5
9 NINTH MONTH				3 3.0 1.1	4 4.0 .5	2 2.0 .1	3 3.0 .1	9 8.9 .3	11 10.9 .3	8 7.9 .2	9 8.9 .2	101 .1
10 NOT STATED		1 .7 100.0			4 2.6 .5	2 1.3 .1	5 3.3 .2	16 10.6 .5	11 7.3 .3	17 11.3 .4	11 7.3 .3	151 .2
Column Total		1 .0	11 .0	70 .1	271 .4	790 1.1	1608 2.3	2364 3.3	3189 4.5	3863 5.5	4210 6.0	4081 5.8	70687 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	AGE 23	24	25	26	27	28	29	30	Row Total
NONE	0	42	26	76	43	28	6			436
		9.6	6.0	17.4	9.9	6.4	1.4			.6
		1.0	.7	.4	.3	.5	.9			
FIRST MONTH	1	683	712	4545	3573	1303	163	7	3	13541
		5.0	5.3	33.6	26.4	9.6	1.2	.1	.0	19.2
		17.0	18.4	21.5	23.4	25.1	23.2	26.9	11.5	
SECOND MONTH	2	1855	1857	11104	8507	2806	358	12	11	34417
		5.4	5.4	32.3	24.7	8.2	1.0	.0	.0	48.7
		46.1	48.1	52.6	55.7	54.0	51.0	46.2	42.3	
THIRD MONTH	3	768	729	3394	2140	689	106	5	6	12580
		6.1	5.8	27.0	17.0	5.5	.8	.0	.0	17.8
		19.1	18.9	16.1	14.0	13.3	15.1	19.2	23.1	
FOURTH MONTH	4	321	257	1043	536	196	39		2	4625
		6.9	5.6	22.6	11.6	4.2	.8		.0	6.5
		8.0	6.7	4.9	3.5	3.8	5.6		7.7	
FIFTH MONTH	5	170	124	461	237	84	12	2	1	2424
		7.0	5.1	19.0	9.8	3.5	.5	.1	.0	3.4
		4.2	3.2	2.2	1.6	1.6	1.7	7.7	3.8	
SIXTH MONTH	6	93	72	230	126	41	9		1	1289
		7.2	5.6	17.8	9.8	3.2	.7		.1	1.8
		2.3	1.9	1.1	.8	.8	1.3		3.8	
SEVENTH MONTH	7	53	47	130	63	23	6		1	741
		7.2	6.3	17.5	8.5	3.1	.8		.1	1.0
		1.3	1.2	.6	.4	.4	.9		3.8	
EIGHTH MONTH	8	23	21	63	33	15	1			382
		6.0	5.5	16.5	8.6	3.9	.3			.5
		.6	.5	.3	.2	.3	.1			
NINTH MONTH	9	8	8	25	9	1	1			101
		7.9	7.9	24.8	8.9	1.0	1.0			.1
		.2	.2	.1	.1	.0	.1			
NOT STATED	10	12	9	34	19	8	1		1	151
		7.9	6.0	22.5	12.6	5.3	.7		.7	.2
		.3	.2	.2	.1	.2	.1		3.8	
Column Total		4028	3862	21105	15286	5194	702	26	26	70687
		5.7	5.5	29.9	21.6	7.3	1.0	.0	.0	100.0

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
NONE	0		2	3	4	13	38	62	60	60	94	82	940
			.2	.3	.4	1.4	4.0	6.6	6.4	6.4	10.0	8.7	2.8
			16.7	5.2	1.8	2.2	3.9	4.1	2.9	2.6	3.7	3.0	
FIRST MONTH	1		1	2	17	51	63	131	154	205	256	306	4174
			.0	.0	.4	1.2	1.5	3.1	3.7	4.9	6.1	7.3	12.6
			8.3	3.4	7.8	8.5	6.5	8.7	7.5	8.9	10.1	11.3	
SECOND MONTH	2		2	11	38	126	244	328	501	596	685	771	10596
			.0	.1	.4	1.2	2.3	3.1	4.7	5.6	6.5	7.3	31.9
			16.7	19.0	17.5	20.9	25.2	21.8	24.4	26.0	27.0	28.4	
THIRD MONTH	3		1	7	43	120	220	334	431	515	528	550	6954
			.0	.1	.6	1.7	3.2	4.8	6.2	7.4	7.6	7.9	20.9
			8.3	12.1	19.8	19.9	22.7	22.2	21.0	22.5	20.8	20.3	
FOURTH MONTH	4		1	16	31	108	146	233	345	333	369	370	4200
			.0	.4	.7	2.6	3.5	5.5	8.2	7.9	8.8	8.8	12.6
			8.3	27.6	14.3	17.9	15.1	15.5	16.8	14.5	14.6	13.6	
FIFTH MONTH	5	1	3	8	37	79	118	199	234	228	253	282	2773
		.0	.1	.3	1.3	2.8	4.3	7.2	8.4	8.2	9.1	10.2	8.3
		50.0	25.0	13.8	17.1	13.1	12.2	13.2	11.4	9.9	10.0	10.4	
SIXTH MONTH	6	1	1	7	21	46	71	126	152	190	156	169	1749
		.1	.1	.4	1.2	2.6	4.1	7.2	8.7	10.9	8.9	9.7	5.3
		50.0	8.3	12.1	9.7	7.6	7.3	8.4	7.4	8.3	6.2	6.2	
SEVENTH MONTH	7		1	2	15	33	39	58	107	108	96	102	1054
			.1	.2	1.4	3.1	3.7	5.5	10.2	10.2	9.1	9.7	3.2
			8.3	3.4	6.9	5.5	4.0	3.9	5.2	4.7	3.8	3.8	
EIGHTH MONTH	8			1	9	23	25	23	44	42	63	55	552
				.2	1.6	4.2	4.5	4.2	8.0	7.6	11.4	10.0	1.7
				1.7	4.1	3.8	2.6	1.5	2.1	1.8	2.5	2.0	
NINTH MONTH	9			1	2	1	2	7	15	10	23	13	143
				.7	1.4	.7	1.4	4.9	10.5	7.0	16.1	9.1	.4
				1.7	.9	.2	.2	.5	.7	.4	.9	.5	
NOT STATED	10					2	3	3	7	6	12	14	103
						1.9	2.9	2.9	6.8	5.8	11.7	13.6	.3
						.3	.3	.2	.3	.3	.5	.5	
Column Total		2 .0	12 .0	58 .2	217 .7	602 1.8	969 2.9	1504 4.5	2050 6.2	2293 6.9	2535 7.6	2714 8.2	33238 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	64	63	45	196	104	40	8	1	1	940
		6.8	6.7	4.8	20.9	11.1	4.3	.9	.1	.1	2.8
		2.7	3.2	2.4	2.5	2.3	2.5	3.5	20.0	4.8	
FIRST MONTH	1	290	234	262	1200	732	235	32	1	2	4174
		6.9	5.6	6.3	28.7	17.5	5.6	.8	.0	.0	12.6
		12.4	11.8	14.3	15.4	16.4	14.9	14.2	20.0	9.5	
SECOND MONTH	2	676	633	594	2896	1804	604	79	2	6	10596
		6.4	6.0	5.6	27.3	17.0	5.7	.7	.0	.1	31.9
		28.9	31.8	32.3	37.1	40.3	38.3	35.0	40.0	28.6	
THIRD MONTH	3	498	438	381	1627	880	325	52		4	6954
		7.2	6.3	5.5	23.4	12.7	4.7	.7		.1	20.9
		21.3	22.0	20.7	20.8	19.7	20.6	23.0		19.0	
FOURTH MONTH	4	331	238	220	818	455	157	25	1	3	4200
		7.9	5.7	5.2	19.5	10.8	3.7	.6	.0	.1	12.6
		14.2	12.0	12.0	10.5	10.2	10.0	11.1	20.0	14.3	
FIFTH MONTH	5	201	167	144	477	227	97	15		3	2773
		7.2	6.0	5.2	17.2	8.2	3.5	.5		.1	8.3
		8.6	8.4	7.8	6.1	5.1	6.2	6.6		14.3	
SIXTH MONTH	6	136	100	90	283	134	57	7		2	1749
		7.8	5.7	5.1	16.2	7.7	3.3	.4		.1	5.3
		5.8	5.0	4.9	3.6	3.0	3.6	3.1		9.5	
SEVENTH MONTH	7	84	69	54	169	85	29	3			1054
		8.0	6.5	5.1	16.0	8.1	2.8	.3			3.2
		3.6	3.5	2.9	2.2	1.9	1.8	1.3			
EIGHTH MONTH	8	42	29	33	98	41	22	2			552
		7.6	5.3	6.0	17.8	7.4	4.0	.4			1.7
		1.8	1.5	1.8	1.3	.9	1.4	.9			
NINTH MONTH	9	10	7	8	26	8	8	2			143
		7.0	4.9	5.6	18.2	5.6	5.6	1.4			.4
		.4	.4	.4	.3	.2	.5	.9			
NOT STATED	10	4	10	7	26	7	1	1			103
		3.9	9.7	6.8	25.2	6.8	1.0	1.0			.3
		.2	.5	.4	.3	.2	.1	.4			
Column Total		2336	1988	1838	7816	4477	1575	226	5	21	33238
		7.0	6.0	5.5	23.5	13.5	4.7	.7	.0	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY MARITAL STATUS

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB		STATUS MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	270	1105	1	1376
		19.6	80.3	.1	1.3
		.4	3.4	4.3	
FIRST MONTH	1	14550	3159	6	17715
		82.1	17.8	.0	17.0
		20.4	9.7	26.1	
SECOND MONTH	2	35605	9402	6	45013
		79.1	20.9	.0	43.3
		49.9	28.9	26.1	
THIRD MONTH	3	12452	7079	3	19534
		63.7	36.2	.0	18.8
		17.4	21.8	13.0	
FOURTH MONTH	4	4297	4527	1	8825
		48.7	51.3	.0	8.5
		6.0	13.9	4.3	
FIFTH MONTH	5	2037	3158	2	5197
		39.2	60.8	.0	5.0
		2.9	9.7	8.7	
SIXTH MONTH	6	1037	2001		3038
		34.1	65.9		2.9
		1.5	6.1		
SEVENTH MONTH	7	612	1183		1795
		34.1	65.9		1.7
		.9	3.6		
EIGHTH MONTH	8	289	644	1	934
		30.9	69.0	.1	.9
		.4	2.0	4.3	
NINTH MONTH	9	79	165		244
		32.4	67.6		.2
		.1	.5		
NOT STATED	10	137	114	3	254
		53.9	44.9	1.2	.2
		.2	.4	13.0	
Column Total		71365	32537	23	103925
		68.7	31.3	.0	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	STATUS MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
0 NONE		159	276	1	436
		36.5	63.3	.2	.6
		.3	2.4	6.3	
1 FIRST MONTH		12400	1138	3	13541
		91.6	8.4	.0	19.2
		20.9	10.0	18.8	
2 SECOND MONTH		30607	3805	5	34417
		88.9	11.1	.0	48.7
		51.6	33.4	31.3	
3 THIRD MONTH		10037	2541	2	12580
		79.8	20.2	.0	17.8
		16.9	22.3	12.5	
4 FOURTH MONTH		3155	1470		4625
		68.2	31.8		6.5
		5.3	12.9		
5 FIFTH MONTH		1468	954	2	2424
		60.6	39.4	.1	3.4
		2.5	8.4	12.5	
6 SIXTH MONTH		713	576		1289
		55.3	44.7		1.8
		1.2	5.1		
7 SEVENTH MONTH		393	348		741
		53.0	47.0		1.0
		.7	3.1		
8 EIGHTH MONTH		193	188	1	382
		50.5	49.2	.3	.5
		.3	1.7	6.3	
9 NINTH MONTH		59	42		101
		58.4	41.6		.1
		.1	.4		
10 NOT STATED		108	41	2	151
		71.5	27.2	1.3	.2
		.2	.4	12.5	
Column Total		59292	11379	16	70687
		83.9	16.1	.0	100.0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	STATUS MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
0 NONE	111	829		940
	11.8	88.2		2.8
	.9	3.9		
1 FIRST MONTH	2150	2021	3	4174
	51.5	48.4	.1	12.6
	17.8	9.6	42.9	
2 SECOND MONTH	4998	5597	1	10596
	47.2	52.8	.0	31.9
	41.4	26.5	14.3	
3 THIRD MONTH	2415	4538	1	6954
	34.7	65.3	.0	20.9
	20.0	21.4	14.3	
4 FOURTH MONTH	1142	3057	1	4200
	27.2	72.8	.0	12.6
	9.5	14.4	14.3	
5 FIFTH MONTH	569	2204		2773
	20.5	79.5		8.3
	4.7	10.4		
6 SIXTH MONTH	324	1425		1749
	18.5	81.5		5.3
	2.7	6.7		
7 SEVENTH MONTH	219	835		1054
	20.8	79.2		3.2
	1.8	3.9		
8 EIGHTH MONTH	96	456		552
	17.4	82.6		1.7
	.8	2.2		
9 NINTH MONTH	20	123		143
	14.0	86.0		.4
	.2	.6		
10 NOT STATED	29	73	1	103
	28.2	70.9	1.0	.3
	.2	.3	14.3	
Column Total	12073	21158	7	33238
	36.3	63.7	.0	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY BIRTH ORDER

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
0 NONE		288	314	285	213	111	74	45	21	21	4	1376
		20.9	22.8	20.7	15.5	8.1	5.4	3.3	1.5	1.5	.3	1.3
		.8	1.0	1.5	2.4	2.8	4.5	6.0	6.4	7.3	2.4	
1 FIRST MONTH		6358	6032	3054	1294	555	231	98	32	41	20	17715
		35.9	34.1	17.2	7.3	3.1	1.3	.6	.2	.2	.1	17.0
		17.6	18.4	16.1	14.7	13.9	13.9	13.1	9.7	14.3	12.2	
2 SECOND MONTH		16369	14807	7943	3406	1469	552	225	109	72	61	45013
		36.4	32.9	17.6	7.6	3.3	1.2	.5	.2	.2	.1	43.3
		45.3	45.1	41.9	38.6	36.8	33.3	30.1	33.0	25.2	37.2	
3 THIRD MONTH		6918	5922	3676	1679	724	316	169	52	52	26	19534
		35.4	30.3	18.8	8.6	3.7	1.6	.9	.3	.3	.1	18.8
		19.1	18.0	19.4	19.0	18.2	19.1	22.6	15.8	18.2	15.9	
4 FOURTH MONTH		2832	2594	1686	892	466	179	82	39	39	16	8825
		32.1	29.4	19.1	10.1	5.3	2.0	.9	.4	.4	.2	8.5
		7.8	7.9	8.9	10.1	11.7	10.8	11.0	11.8	13.6	9.8	
5 FIFTH MONTH		1611	1461	1044	566	259	137	58	34	19	8	5197
		31.0	28.1	20.1	10.9	5.0	2.6	1.1	.7	.4	.2	5.0
		4.5	4.4	5.5	6.4	6.5	8.3	7.8	10.3	6.6	4.9	
6 SIXTH MONTH		903	846	566	380	199	69	33	16	21	5	3038
		29.7	27.8	18.6	12.5	6.6	2.3	1.1	.5	.7	.2	2.9
		2.5	2.6	3.0	4.3	5.0	4.2	4.4	4.8	7.3	3.0	
7 SEVENTH MONTH		495	467	394	238	102	51	19	13	11	5	1795
		27.6	26.0	21.9	13.3	5.7	2.8	1.1	.7	.6	.3	1.7
		1.4	1.4	2.1	2.7	2.6	3.1	2.5	3.9	3.8	3.0	
8 EIGHTH MONTH		240	249	206	100	71	34	14	10	5	5	934
		25.7	26.7	22.1	10.7	7.6	3.6	1.5	1.1	.5	.5	.9
		.7	.8	1.1	1.1	1.8	2.1	1.9	3.0	1.7	3.0	
9 NINTH MONTH		51	64	54	38	15	9	4	4	2	3	244
		20.9	26.2	22.1	15.6	6.1	3.7	1.6	1.6	.8	1.2	.2
		.1	.2	.3	.4	.4	.5	.5	1.2	.7	1.8	
10 NOT STATED		69	83	48	19	16	4	1		3	11	254
		27.2	32.7	18.9	7.5	6.3	1.6	.4		1.2	4.3	.2
		.2	.3	.3	.2	.4	.2	.1		1.0	6.7	
Column Total		36134	32839	18956	8825	3987	1656	748	330	286	164	103925
		34.8	31.6	18.2	8.5	3.8	1.6	.7	.3	.3	.2	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	152	98	80	47	22	12	11	4	8	2	436
		34.9	22.5	18.3	10.8	5.0	2.8	2.5	.9	1.8	.5	.6
		.6	.4	.6	.9	1.0	1.4	2.9	2.7	6.0	2.0	
FIRST MONTH	1	5080	4672	2272	876	360	147	71	22	26	15	13541
		37.5	34.5	16.8	6.5	2.7	1.1	.5	.2	.2	.1	19.2
		19.6	20.1	18.3	16.8	16.1	17.0	18.8	15.0	19.4	15.2	
SECOND MONTH	2	12892	11589	5902	2412	971	359	137	60	48	47	34417
		37.5	33.7	17.1	7.0	2.8	1.0	.4	.2	.1	.1	48.7
		49.6	49.9	47.5	46.2	43.5	41.4	36.3	40.8	35.8	47.5	
THIRD MONTH	3	4595	3982	2338	970	392	168	75	23	23	14	12580
		36.5	31.7	18.6	7.7	3.1	1.3	.6	.2	.2	.1	17.8
		17.7	17.2	18.8	18.6	17.6	19.4	19.9	15.6	17.2	14.1	
FOURTH MONTH	4	1561	1432	860	414	217	80	31	12	12	6	4625
		33.8	31.0	18.6	9.0	4.7	1.7	.7	.3	.3	.1	6.5
		6.0	6.2	6.9	7.9	9.7	9.2	8.2	8.2	9.0	6.1	
FIFTH MONTH	5	811	713	470	220	109	53	28	15	4	1	2424
		33.5	29.4	19.4	9.1	4.5	2.2	1.2	.6	.2	.0	3.4
		3.1	3.1	3.8	4.2	4.9	6.1	7.4	10.2	3.0	1.0	
SIXTH MONTH	6	449	335	235	142	77	23	11	4	9	4	1289
		34.8	26.0	18.2	11.0	6.0	1.8	.9	.3	.7	.3	1.8
		1.7	1.4	1.9	2.7	3.5	2.7	2.9	2.7	6.7	4.0	
SEVENTH MONTH	7	239	192	146	90	46	17	5	3	1	2	741
		32.3	25.9	19.7	12.1	6.2	2.3	.7	.4	.1	.3	1.0
		.9	.8	1.2	1.7	2.1	2.0	1.3	2.0	.7	2.0	
EIGHTH MONTH	8	119	109	82	31	25	5	5	3	2	1	382
		31.2	28.5	21.5	8.1	6.5	1.3	1.3	.8	.5	.3	.5
		.5	.5	.7	.6	1.1	.6	1.3	2.0	1.5	1.0	
NINTH MONTH	9	27	28	22	12	6	2	2	1		1	101
		26.7	27.7	21.8	11.9	5.9	2.0	2.0	1.0		1.0	.1
		.1	.1	.2	.2	.3	.2	.5	.7		1.0	
NOT STATED	10	50	53	24	9	6	1	1		1	6	151
		33.1	35.1	15.9	6.0	4.0	.7	.7		.7	4.0	.2
		.2	.2	.2	.2	.3	.1	.3		.7	6.1	
Column Total		25975	23203	12431	5223	2231	867	377	147	134	99	70687
		36.7	32.8	17.6	7.4	3.2	1.2	.5	.2	.2	.1	100.0

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	BO	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
NONE	0	136	216	205	166	89	62	34	17	13	2	940
		14.5	23.0	21.8	17.7	9.5	6.6	3.6	1.8	1.4	.2	2.8
		1.3	2.2	3.1	4.6	5.1	7.9	9.2	9.3	8.6	3.1	
FIRST MONTH	1	1278	1360	782	418	195	84	27	10	15	5	4174
		30.6	32.6	18.7	10.0	4.7	2.0	.6	.2	.4	.1	12.6
		12.6	14.1	12.0	11.6	11.1	10.6	7.3	5.5	9.9	7.7	
SECOND MONTH	2	3477	3218	2041	994	498	193	88	49	24	14	10596
		32.8	30.4	19.3	9.4	4.7	1.8	.8	.5	.2	.1	31.9
		34.2	33.4	31.3	27.6	28.4	24.5	23.7	26.8	15.8	21.5	
THIRD MONTH	3	2323	1940	1338	709	332	148	94	29	29	12	6954
		33.4	27.9	19.2	10.2	4.8	2.1	1.4	.4	.4	.2	20.9
		22.9	20.1	20.5	19.7	18.9	18.8	25.3	15.8	19.1	18.5	
FOURTH MONTH	4	1271	1162	826	478	249	99	51	27	27	10	4200
		30.3	27.7	19.7	11.4	5.9	2.4	1.2	.6	.6	.2	12.6
		12.5	12.1	12.7	13.3	14.2	12.5	13.7	14.8	17.8	15.4	
FIFTH MONTH	5	800	748	574	346	150	84	30	19	15	7	2773
		28.8	27.0	20.7	12.5	5.4	3.0	1.1	.7	.5	.3	8.3
		7.9	7.8	8.8	9.6	8.5	10.6	8.1	10.4	9.9	10.8	
SIXTH MONTH	6	454	511	331	238	122	46	22	12	12	1	1749
		26.0	29.2	18.9	13.6	7.0	2.6	1.3	.7	.7	.1	5.3
		4.5	5.3	5.1	6.6	6.9	5.8	5.9	6.6	7.9	1.5	
SEVENTH MONTH	7	256	275	248	148	56	34	14	10	10	3	1054
		24.3	26.1	23.5	14.0	5.3	3.2	1.3	.9	.9	.3	3.2
		2.5	2.9	3.8	4.1	3.2	4.3	3.8	5.5	6.6	4.6	
EIGHTH MONTH	8	121	140	124	69	46	29	9	7	3	4	552
		21.9	25.4	22.5	12.5	8.3	5.3	1.6	1.3	.5	.7	1.7
		1.2	1.5	1.9	1.9	2.6	3.7	2.4	3.8	2.0	6.2	
NINTH MONTH	9	24	36	32	26	9	7	2	3	2	2	143
		16.8	25.2	22.4	18.2	6.3	4.9	1.4	2.1	1.4	1.4	.4
		.2	.4	.5	.7	.5	.9	.5	1.6	1.3	3.1	
NOT STATED	10	19	30	24	10	10	3			2	5	103
		18.4	29.1	23.3	9.7	9.7	2.9			1.9	4.9	.3
		.2	.3	.4	.3	.6	.4			1.3	7.7	
Column Total		10159	9636	6525	3602	1756	789	371	183	152	65	33238
		30.6	29.0	19.6	10.8	5.3	2.4	1.1	.6	.5	.2	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY BIRTH WEIGHT

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

MPCB		BW UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	127	286	960	3	1376
		9.2	20.8	69.8	.2	1.3
		7.4	4.1	1.0	8.3	
FIRST MONTH	1	345	1087	16281	2	17715
		1.9	6.1	91.9	.0	17.0
		20.0	15.5	17.1	5.6	
SECOND MONTH	2	667	2630	41703	13	45013
		1.5	5.8	92.6	.0	43.3
		38.7	37.4	43.8	36.1	
THIRD MONTH	3	307	1376	17843	8	19534
		1.6	7.0	91.3	.0	18.8
		17.8	19.6	18.8	22.2	
FOURTH MONTH	4	144	667	8014		8825
		1.6	7.6	90.8		8.5
		8.4	9.5	8.4		
FIFTH MONTH	5	74	467	4655	1	5197
		1.4	9.0	89.6	.0	5.0
		4.3	6.6	4.9	2.8	
SIXTH MONTH	6	41	263	2732	2	3038
		1.3	8.7	89.9	.1	2.9
		2.4	3.7	2.9	5.6	
SEVENTH MONTH	7	12	132	1651		1795
		.7	7.4	92.0		1.7
		.7	1.9	1.7		
EIGHTH MONTH	8	2	70	862		934
		.2	7.5	92.3		.9
		.1	1.0	.9		
NINTH MONTH	9		22	222		244
			9.0	91.0		.2
			.3	.2		
NOT STATED	10	5	25	217	7	254
		2.0	9.8	85.4	2.8	.2
		.3	.4	.2	19.4	
Column Total		1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
0 NONE		20	62	354		436
		4.6	14.2	81.2		.6
		2.7	1.7	.5		
1 FIRST MONTH		206	740	12593	2	13541
		1.5	5.5	93.0	.0	19.2
		27.8	19.7	19.0	13.3	
2 SECOND MONTH		319	1678	32416	4	34417
		.9	4.9	94.2	.0	48.7
		43.1	44.7	49.0	26.7	
3 THIRD MONTH		122	675	11779	4	12580
		1.0	5.4	93.6	.0	17.8
		16.5	18.0	17.8	26.7	
4 FOURTH MONTH		46	250	4329		4625
		1.0	5.4	93.6		6.5
		6.2	6.7	6.5		
5 FIFTH MONTH		14	182	2227	1	2424
		.6	7.5	91.9	.0	3.4
		1.9	4.8	3.4	6.7	
6 SIXTH MONTH		10	82	1197		1289
		.8	6.4	92.9		1.8
		1.4	2.2	1.8		
7 SEVENTH MONTH		1	51	689		741
		.1	6.9	93.0		1.0
		.1	1.4	1.0		
8 EIGHTH MONTH		1	20	361		382
		.3	5.2	94.5		.5
		.1	.5	.5		
9 NINTH MONTH			6	95		101
			5.9	94.1		.1
			.2	.1		
10 NOT STATED		1	11	135	4	151
		.7	7.3	89.4	2.6	.2
		.1	.3	.2	26.7	
Column Total		740	3757	66175	15	70687
		1.0	5.3	93.6	.0	100.0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

MPCB	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0 NONE	107	224	606	3	940
	11.4	23.8	64.5	.3	2.8
	10.9	6.9	2.1	14.3	
1 FIRST MONTH	139	347	3688		4174
	3.3	8.3	88.4		12.6
	14.1	10.6	12.7		
2 SECOND MONTH	348	952	9287	9	10596
	3.3	9.0	87.6	.1	31.9
	35.4	29.1	32.1	42.9	
3 THIRD MONTH	185	701	6064	4	6954
	2.7	10.1	87.2	.1	20.9
	18.8	21.5	20.9	19.0	
4 FOURTH MONTH	98	417	3685		4200
	2.3	9.9	87.7		12.6
	10.0	12.8	12.7		
5 FIFTH MONTH	60	285	2428		2773
	2.2	10.3	87.6		8.3
	6.1	8.7	8.4		
6 SIXTH MONTH	31	181	1535	2	1749
	1.8	10.3	87.8	.1	5.3
	3.2	5.5	5.3	9.5	
7 SEVENTH MONTH	11	81	962		1054
	1.0	7.7	91.3		3.2
	1.1	2.5	3.3		
8 EIGHTH MONTH	1	50	501		552
	.2	9.1	90.8		1.7
	.1	1.5	1.7		
9 NINTH MONTH		16	127		143
		11.2	88.8		.4
		.5	.4		
10 NOT STATED	4	14	82	3	103
	3.9	13.6	79.6	2.9	.3
	.4	.4	.3	14.3	
Column Total	984	3268	28965	21	33238
	3.0	9.8	87.1	.1	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY EDUCATION OF MOTHER

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
0 NONE		80	544	546	164	27	15	1376
		5.8	39.5	39.7	11.9	2.0	1.1	1.3
		2.2	2.8	1.3	.8	.1	8.0	
1 ONE		42	176	174	41	7	3	443
		9.5	39.7	39.3	9.3	1.6	.7	.4
		1.2	.9	.4	.2	.0	1.6	
2 TWO		69	258	255	77	9	1	669
		10.3	38.6	38.1	11.5	1.3	.1	.6
		1.9	1.3	.6	.4	.0	.5	
3 THREE		87	345	308	77	30	6	853
		10.2	40.4	36.1	9.0	3.5	.7	.8
		2.4	1.8	.8	.4	.2	3.2	
4 FOUR		106	499	501	158	42	6	1312
		8.1	38.0	38.2	12.0	3.2	.5	1.3
		2.9	2.6	1.2	.7	.2	3.2	
5 FIVE		132	605	652	174	71	4	1638
		8.1	36.9	39.8	10.6	4.3	.2	1.6
		3.7	3.1	1.6	.8	.4	2.1	
6 SIX		179	751	863	271	119	4	2187
		8.2	34.3	39.5	12.4	5.4	.2	2.1
		5.0	3.9	2.1	1.3	.6	2.1	
7 SEVEN		180	706	872	324	152	4	2238
		8.0	31.5	39.0	14.5	6.8	.2	2.2
		5.0	3.7	2.2	1.5	.8	2.1	
8 EIGHT		235	1121	1582	621	392	7	3958
		5.9	28.3	40.0	15.7	9.9	.2	3.8
		6.5	5.8	3.9	2.9	2.1	3.7	
9 NINE		192	883	1536	608	396	7	3622
		5.3	24.4	42.4	16.8	10.9	.2	3.5
		5.3	4.6	3.8	2.8	2.1	3.7	
10 TEN		446	2114	3773	1662	1124	14	9133
		4.9	23.1	41.3	18.2	12.3	.2	8.8
		12.4	10.9	9.3	7.7	6.0	7.4	
	Column Total	3607	19338	40480	21670	18642	188	103925
		3.5	18.6	39.0	20.9	17.9	.2	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
11 ELEVEN		225	1142	2450	1139	846	8	5810
		3.9	19.7	42.2	19.6	14.6	.1	5.6
		6.2	5.9	6.1	5.3	4.5	4.3	
12 TWELVE		514	3163	7491	4474	4210	29	19881
		2.6	15.9	37.7	22.5	21.2	.1	19.1
		14.3	16.4	18.5	20.6	22.6	15.4	
13 THIRTEEN		201	1136	2888	1562	1366	10	7163
		2.8	15.9	40.3	21.8	19.1	.1	6.9
		5.6	5.9	7.1	7.2	7.3	5.3	
14 FOURTEEN		247	1517	4112	2599	2554	16	11045
		2.2	13.7	37.2	23.5	23.1	.1	10.6
		6.8	7.8	10.2	12.0	13.7	8.5	
15 FIFTEEN		347	2248	6358	3977	4023	21	16974
		2.0	13.2	37.5	23.4	23.7	.1	16.3
		9.6	11.6	15.7	18.4	21.6	11.2	
16 SIXTEEN OR MORE		302	2038	5988	3681	3253	11	15273
		2.0	13.3	39.2	24.1	21.3	.1	14.7
		8.4	10.5	14.8	17.0	17.4	5.9	
17 NOT STATED		23	92	131	61	21	22	350
		6.6	26.3	37.4	17.4	6.0	6.3	.3
		.6	.5	.3	.3	.1	11.7	
Column Total		3607	19338	40480	21670	18642	188	103925
		3.5	18.6	39.0	20.9	17.9	.2	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
0 NONE	Count	44	149	160	62	14	7	436
	Row Pct	10.1	34.2	36.7	14.2	3.2	1.6	.6
	Col Pct	1.8	1.4	.6	.4	.1	5.9	
1 ONE	Count	19	52	36	14	4		125
	Row Pct	15.2	41.6	28.8	11.2	3.2		.2
	Col Pct	.8	.5	.1	.1	.0		
2 TWO	Count	36	88	70	30	5		229
	Row Pct	15.7	38.4	30.6	13.1	2.2		.3
	Col Pct	1.5	.8	.3	.2	.0		
3 THREE	Count	48	141	85	29	17	3	323
	Row Pct	14.9	43.7	26.3	9.0	5.3	.9	.5
	Col Pct	2.0	1.3	.3	.2	.1	2.5	
4 FOUR	Count	64	151	151	55	23	3	447
	Row Pct	14.3	33.8	33.8	12.3	5.1	.7	.6
	Col Pct	2.6	1.4	.6	.4	.1	2.5	
5 FIVE	Count	90	237	235	64	43	3	672
	Row Pct	13.4	35.3	35.0	9.5	6.4	.4	1.0
	Col Pct	3.7	2.2	.9	.4	.3	2.5	
6 SIX	Count	109	342	334	138	66	3	992
	Row Pct	11.0	34.5	33.7	13.9	6.7	.3	1.4
	Col Pct	4.5	3.1	1.3	.9	.4	2.5	
7 SEVEN	Count	126	332	376	181	109	3	1127
	Row Pct	11.2	29.5	33.4	16.1	9.7	.3	1.6
	Col Pct	5.2	3.0	1.5	1.2	.7	2.5	
8 EIGHT	Count	152	558	703	350	282	2	2047
	Row Pct	7.4	27.3	34.3	17.1	13.8	.1	2.9
	Col Pct	6.3	5.1	2.7	2.3	1.8	1.7	
9 NINE	Count	126	475	843	370	322	4	2140
	Row Pct	5.9	22.2	39.4	17.3	15.0	.2	3.0
	Col Pct	5.2	4.3	3.3	2.4	2.0	3.4	
10 TEN	Count	285	1165	2093	1102	900	7	5552
	Row Pct	5.1	21.0	37.7	19.8	16.2	.1	7.9
	Col Pct	11.8	10.6	8.1	7.1	5.7	5.9	
Column Total	Count	2420	11017	25703	15532	15897	118	70687
	Row Pct	3.4	15.6	36.4	22.0	22.5	.2	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
ELEVEN	11	159	637	1546	785	718	3	3848
		4.1	16.6	40.2	20.4	18.7	.1	5.4
		6.6	5.8	6.0	5.1	4.5	2.5	
TWELVE	12	360	1989	5175	3400	3742	19	14685
		2.5	13.5	35.2	23.2	25.5	.1	20.8
		14.9	18.1	20.1	21.9	23.5	16.1	
THIRTEEN	13	135	754	2029	1147	1154	9	5228
		2.6	14.4	38.8	21.9	22.1	.2	7.4
		5.6	6.8	7.9	7.4	7.3	7.6	
FOURTEEN	14	183	993	2923	1980	2197	10	8286
		2.2	12.0	35.3	23.9	26.5	.1	11.7
		7.6	9.0	11.4	12.7	13.8	8.5	
FIFTEEN	15	229	1436	4388	2934	3450	18	12455
		1.8	11.5	35.2	23.6	27.7	.1	17.6
		9.5	13.0	17.1	18.9	21.7	15.3	
SIXTEEN OR MORE	16	236	1464	4487	2855	2833	8	11883
		2.0	12.3	37.8	24.0	23.8	.1	16.8
		9.8	13.3	17.5	18.4	17.8	6.8	
NOT STATED	17	19	54	69	36	18	16	212
		9.0	25.5	32.5	17.0	8.5	7.5	.3
		.8	.5	.3	.2	.1	13.6	
	Column Total	2420	11017	25703	15532	15897	118	70687
		3.4	15.6	36.4	22.0	22.5	.2	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
NONE	0	36	395	386	102	13	8	940
		3.8	42.0	41.1	10.9	1.4	.9	2.8
		3.0	4.7	2.6	1.7	.5	11.4	
ONE	1	23	124	138	27	3	3	318
		7.2	39.0	43.4	8.5	.9	.9	1.0
		1.9	1.5	.9	.4	.1	4.3	
TWO	2	33	170	185	47	4	1	440
		7.5	38.6	42.0	10.7	.9	.2	1.3
		2.8	2.0	1.3	.8	.1	1.4	
THREE	3	39	204	223	48	13	3	530
		7.4	38.5	42.1	9.1	2.5	.6	1.6
		3.3	2.5	1.5	.8	.5	4.3	
FOUR	4	42	348	350	103	19	3	865
		4.9	40.2	40.5	11.9	2.2	.3	2.6
		3.5	4.2	2.4	1.7	.7	4.3	
FIVE	5	42	368	417	110	28	1	966
		4.3	38.1	43.2	11.4	2.9	.1	2.9
		3.5	4.4	2.8	1.8	1.0	1.4	
SIX	6	70	409	529	133	53	1	1195
		5.9	34.2	44.3	11.1	4.4	.1	3.6
		5.9	4.9	3.6	2.2	1.9	1.4	
SEVEN	7	54	374	496	143	43	1	1111
		4.9	33.7	44.6	12.9	3.9	.1	3.3
		4.5	4.5	3.4	2.3	1.6	1.4	
EIGHT	8	83	563	879	271	110	5	1911
		4.3	29.5	46.0	14.2	5.8	.3	5.7
		7.0	6.8	5.9	4.4	4.0	7.1	
NINE	9	66	408	693	238	74	3	1482
		4.5	27.5	46.8	16.1	5.0	.2	4.5
		5.6	4.9	4.7	3.9	2.7	4.3	
TEN	10	161	949	1680	560	224	7	3581
		4.5	26.5	46.9	15.6	6.3	.2	10.8
		13.6	11.4	11.4	9.1	8.2	10.0	
	Column Total	1187	8321	14777	6138	2745	70	33238
		3.6	25.0	44.5	18.5	8.3	.2	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	Row Total
11 ELEVEN	Count	66	505	904	354	128	5	1962
	Row Pct	3.4	25.7	46.1	18.0	6.5	.3	5.9
	Col Pct	5.6	6.1	6.1	5.8	4.7	7.1	
12 TWELVE	Count	154	1174	2316	1074	468	10	5196
	Row Pct	3.0	22.6	44.6	20.7	9.0	.2	15.6
	Col Pct	13.0	14.1	15.7	17.5	17.0	14.3	
13 THIRTEEN	Count	66	382	859	415	212	1	1935
	Row Pct	3.4	19.7	44.4	21.4	11.0	.1	5.8
	Col Pct	5.6	4.6	5.8	6.8	7.7	1.4	
14 FOURTEEN	Count	64	524	1189	619	357	6	2759
	Row Pct	2.3	19.0	43.1	22.4	12.9	.2	8.3
	Col Pct	5.4	6.3	8.0	10.1	13.0	8.6	
15 FIFTEEN	Count	118	812	1970	1043	573	3	4519
	Row Pct	2.6	18.0	43.6	23.1	12.7	.1	13.6
	Col Pct	9.9	9.8	13.3	17.0	20.9	4.3	
16 SIXTEEN OR MORE	Count	66	574	1501	826	420	3	3390
	Row Pct	1.9	16.9	44.3	24.4	12.4	.1	10.2
	Col Pct	5.6	6.9	10.2	13.5	15.3	4.3	
17 NOT STATED	Count	4	38	62	25	3	6	138
	Row Pct	2.9	27.5	44.9	18.1	2.2	4.3	.4
	Col Pct	.3	.5	.4	.4	.1	8.6	
Column Total		1187	8321	14777	6138	2745	70	33238
		3.6	25.0	44.5	18.5	8.3	.2	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY AGE OF MOTHER

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
0 NONE			2	5	5	21	56	86	86	91	134	113	1376
			.1	.4	.4	1.5	4.1	6.3	6.3	6.6	9.7	8.2	1.3
			15.4	7.2	1.7	2.4	3.2	2.8	1.9	1.7	2.1	1.6	
1 ONE					4	14	27	22	32	37	52	23	443
					.9	3.2	6.1	5.0	7.2	8.4	11.7	5.2	.4
					1.4	1.6	1.5	.7	.7	.7	.8	.3	
2 TWO				1	9	16	22	38	46	72	80	64	669
				.1	1.3	2.4	3.3	5.7	6.9	10.8	12.0	9.6	.6
				1.4	3.1	1.8	1.3	1.2	1.0	1.3	1.3	.9	
3 THREE			1	1	5	22	31	48	67	82	78	86	853
			.1	.1	.6	2.6	3.6	5.6	7.9	9.6	9.1	10.1	.8
			7.7	1.4	1.7	2.5	1.8	1.5	1.5	1.5	1.2	1.2	
4 FOUR				3	11	24	48	72	127	116	118	120	1312
				.2	.8	1.8	3.7	5.5	9.7	8.8	9.0	9.1	1.3
				4.3	3.8	2.7	2.7	2.3	2.9	2.1	1.8	1.7	
5 FIVE				2	8	30	45	101	127	155	160	174	1638
				.1	.5	1.8	2.7	6.2	7.8	9.5	9.8	10.6	1.6
				2.9	2.8	3.4	2.6	3.2	2.9	2.8	2.5	2.5	
6 SIX				5	21	46	71	117	192	177	175	206	2187
				.2	1.0	2.1	3.2	5.3	8.8	8.1	8.0	9.4	2.1
				7.2	7.3	5.3	4.0	3.8	4.3	3.2	2.7	3.0	
7 SEVEN			1	3	11	40	79	131	161	160	175	219	2238
			.0	.1	.5	1.8	3.5	5.9	7.2	7.1	7.8	9.8	2.2
			7.7	4.3	3.8	4.6	4.5	4.2	3.6	2.9	2.7	3.2	
8 EIGHT				2	19	56	120	209	259	281	303	323	3958
				.1	.5	1.4	3.0	5.3	6.5	7.1	7.7	8.2	3.8
				2.9	6.6	6.4	6.8	6.7	5.9	5.1	4.7	4.7	
9 NINE				3	15	44	90	164	233	249	268	285	3622
				.1	.4	1.2	2.5	4.5	6.4	6.9	7.4	7.9	3.5
				4.3	5.2	5.0	5.1	5.3	5.3	4.5	4.2	4.1	
10 TEN		1	2	7	43	118	236	359	489	598	664	715	9133
		.0	.0	.1	.5	1.3	2.6	3.9	5.4	6.5	7.3	7.8	8.8
		50.0	15.4	10.1	15.0	13.5	13.4	11.5	11.1	10.9	10.4	10.3	
(Continued)	Column Total	2 .0	13 .0	69 .1	287 .3	873 .8	1759 1.7	3112 3.0	4414 4.2	5482 5.3	6398 6.2	6924 6.7	103925 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0 NONE		98	105	71	272	147	68	14	1	1	1376
		7.1	7.6	5.2	19.8	10.7	4.9	1.0	.1	.1	1.3
		1.5	1.7	1.2	.9	.7	1.0	1.5	3.2	2.1	
1 ONE		40	26	27	87	35	16	1			443
		9.0	5.9	6.1	19.6	7.9	3.6	.2			.4
		.6	.4	.5	.3	.2	.2	.1			
2 TWO		48	33	36	121	67	15	1			669
		7.2	4.9	5.4	18.1	10.0	2.2	.1			.6
		.7	.5	.6	.4	.3	.2	.1			
3 THREE		64	62	54	148	63	35	6			853
		7.5	7.3	6.3	17.4	7.4	4.1	.7			.8
		1.0	1.0	.9	.5	.3	.5	.6			
4 FOUR		97	54	84	251	135	44	8			1312
		7.4	4.1	6.4	19.1	10.3	3.4	.6			1.3
		1.5	.9	1.5	.9	.7	.7	.9			
5 FIVE		131	102	94	295	146	57	9		2	1638
		8.0	6.2	5.7	18.0	8.9	3.5	.5		.1	1.6
		2.0	1.7	1.6	1.0	.7	.8	1.0		4.3	
6 SIX		174	132	114	425	225	93	13		1	2187
		8.0	6.0	5.2	19.4	10.3	4.3	.6		.0	2.1
		2.7	2.2	2.0	1.5	1.1	1.4	1.4		2.1	
7 SEVEN		178	137	126	470	241	92	12	1	1	2238
		8.0	6.1	5.6	21.0	10.8	4.1	.5	.0	.0	2.2
		2.8	2.3	2.2	1.6	1.2	1.4	1.3	3.2	2.1	
8 EIGHT		282	246	219	903	512	200	22		2	3958
		7.1	6.2	5.5	22.8	12.9	5.1	.6		.1	3.8
		4.4	4.1	3.8	3.1	2.6	3.0	2.4		4.3	
9 NINE		252	234	188	880	519	172	24		2	3622
		7.0	6.5	5.2	24.3	14.3	4.7	.7		.1	3.5
		3.9	3.9	3.3	3.0	2.6	2.5	2.6		4.3	
10 TEN		585	528	483	2244	1518	460	78	2	3	9133
		6.4	5.8	5.3	24.6	16.6	5.0	.9	.0	.0	8.8
		9.1	8.8	8.5	7.8	7.7	6.8	8.4	6.5	6.4	
Column Total		6417	6016	5700	28921	19763	6769	928	31	47	103925
		6.2	5.8	5.5	27.8	19.0	6.5	.9	.0	.0	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
11 ELEVEN		1	3	7	15	49	111	201	290	337	416	410	5810
		.0	.1	.1	.3	.8	1.9	3.5	5.0	5.8	7.2	7.1	5.6
		50.0	23.1	10.1	5.2	5.6	6.3	6.5	6.6	6.1	6.5	5.9	
12 TWELVE			3	8	42	138	261	506	715	890	1070	1187	19881
			.0	.0	.2	.7	1.3	2.5	3.6	4.5	5.4	6.0	19.1
			23.1	11.6	14.6	15.8	14.8	16.3	16.2	16.2	16.7	17.1	
13 THIRTEEN				3	17	50	106	179	269	368	428	435	7163
				.0	.2	.7	1.5	2.5	3.8	5.1	6.0	6.1	6.9
				4.3	5.9	5.7	6.0	5.8	6.1	6.7	6.7	6.3	
14 FOURTEEN				4	19	57	134	227	340	473	577	622	11045
				.0	.2	.5	1.2	2.1	3.1	4.3	5.2	5.6	10.6
				5.8	6.6	6.5	7.6	7.3	7.7	8.6	9.0	9.0	
15 FIFTEEN				11	27	90	181	343	514	725	898	987	16974
				.1	.2	.5	1.1	2.0	3.0	4.3	5.3	5.8	16.3
				15.9	9.4	10.3	10.3	11.0	11.6	13.2	14.0	14.3	
16 SIXTEEN OR MORE			1	4	16	56	133	293	446	645	774	920	15273
			.0	.0	.1	.4	.9	1.9	2.9	4.2	5.1	6.0	14.7
			7.7	5.8	5.6	6.4	7.6	9.4	10.1	11.8	12.1	13.3	
17 NOT STATED						2	8	16	21	26	28	35	350
						.6	2.3	4.6	6.0	7.4	8.0	10.0	.3
						.2	.5	.5	.5	.5	.4	.5	
Column Total		2	13	69	287	873	1759	3112	4414	5482	6398	6924	103925
		.0	.0	.1	.3	.8	1.7	3.0	4.2	5.3	6.2	6.7	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
11 ELEVEN		385	339	320	1578	988	319	38	2	1	5810
		6.6	5.8	5.5	27.2	17.0	5.5	.7	.0	.0	5.6
		6.0	5.6	5.6	5.5	5.0	4.7	4.1	6.5	2.1	
12 TWELVE		1136	1074	1035	5851	4336	1434	181	4	10	19881
		5.7	5.4	5.2	29.4	21.8	7.2	.9	.0	.1	19.1
		17.7	17.9	18.2	20.2	21.9	21.2	19.5	12.9	21.3	
13 THIRTEEN		424	426	392	2162	1395	439	66	1	3	7163
		5.9	5.9	5.5	30.2	19.5	6.1	.9	.0	.0	6.9
		6.6	7.1	6.9	7.5	7.1	6.5	7.1	3.2	6.4	
14 FOURTEEN		605	628	641	3317	2429	855	112	2	3	11045
		5.5	5.7	5.8	30.0	22.0	7.7	1.0	.0	.0	10.6
		9.4	10.4	11.2	11.5	12.3	12.6	12.1	6.5	6.4	
15 FIFTEEN		971	921	965	5173	3712	1273	167	9	7	16974
		5.7	5.4	5.7	30.5	21.9	7.5	1.0	.1	.0	16.3
		15.1	15.3	16.9	17.9	18.8	18.8	18.0	29.0	14.9	
16 SIXTEEN OR MORE		920	941	838	4666	3245	1183	174	9	9	15273
		6.0	6.2	5.5	30.6	21.2	7.7	1.1	.1	.1	14.7
		14.3	15.6	14.7	16.1	16.4	17.5	18.8	29.0	19.1	
17 NOT STATED		27	28	13	78	50	14	2		2	350
		7.7	8.0	3.7	22.3	14.3	4.0	.6		.6	.3
		.4	.5	.2	.3	.3	.2	.2		4.3	
Column Total		6417	6016	5700	28921	19763	6769	928	31	47	103925
		6.2	5.8	5.5	27.8	19.0	6.5	.9	.0	.0	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
0 NONE			2	1	8	18	24	26	31	40	31	34	436
			.5	.2	1.8	4.1	5.5	6.0	7.1	9.2	7.1	7.8	.6
			18.2	1.4	3.0	2.3	1.5	1.1	1.0	1.0	.7	.8	
1 ONE				1	3	8	8	8	9	18	3	13	125
				.8	2.4	6.4	6.4	6.4	7.2	14.4	2.4	10.4	.2
				1.4	1.1	1.0	.5	.3	.3	.5	.1	.3	
2 TWO					2	8	15	15	23	29	25	21	229
					.9	3.5	6.6	6.6	10.0	12.7	10.9	9.2	.3
					.7	1.0	.9	.6	.7	.8	.6	.5	
3 THREE				1	4	11	17	30	37	25	35	24	323
				.3	1.2	3.4	5.3	9.3	11.5	7.7	10.8	7.4	.5
				1.4	1.5	1.4	1.1	1.3	1.2	.6	.8	.6	
4 FOUR			1	1	2	18	21	35	43	38	33	34	447
			.2	.2	.4	4.0	4.7	7.8	9.6	8.5	7.4	7.6	.6
			9.1	1.4	.7	2.3	1.3	1.5	1.3	1.0	.8	.8	
5 FIVE				2	11	16	38	39	56	65	76	59	672
				.3	1.6	2.4	5.7	5.8	8.3	9.7	11.3	8.8	1.0
				2.9	4.1	2.0	2.4	1.6	1.8	1.7	1.8	1.4	
6 SIX				5	14	28	50	91	74	83	92	90	992
				.5	1.4	2.8	5.0	9.2	7.5	8.4	9.3	9.1	1.4
				7.1	5.2	3.5	3.1	3.8	2.3	2.1	2.2	2.2	
7 SEVEN			1	3	12	31	59	65	81	87	109	87	1127
			.1	.3	1.1	2.8	5.2	5.8	7.2	7.7	9.7	7.7	1.6
			9.1	4.3	4.4	3.9	3.7	2.7	2.5	2.3	2.6	2.1	
8 EIGHT				4	15	52	100	126	139	143	134	140	2047
				.2	.7	2.5	4.9	6.2	6.8	7.0	6.5	6.8	2.9
				5.7	5.5	6.6	6.2	5.3	4.4	3.7	3.2	3.4	
9 NINE				4	17	41	77	113	129	151	170	141	2140
				.2	.8	1.9	3.6	5.3	6.0	7.1	7.9	6.6	3.0
				5.7	6.3	5.2	4.8	4.8	4.0	3.9	4.0	3.5	
10 TEN			1	9	35	87	184	268	319	373	417	324	5552
			.0	.2	.6	1.6	3.3	4.8	5.7	6.7	7.5	5.8	7.9
			9.1	12.9	12.9	11.0	11.4	11.3	10.0	9.7	9.9	7.9	
(Continued)	Column Total	1 .0	11 .0	70 .1	271 .4	790 1.1	1608 2.3	2364 3.3	3189 4.5	3863 5.5	4210 6.0	4081 5.8	70687 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0		42	26	76	43	28	6			436
NONE		9.6	6.0	17.4	9.9	6.4	1.4			.6
		1.0	.7	.4	.3	.5	.9			
1		8	8	28	7	3				125
ONE		6.4	6.4	22.4	5.6	2.4				.2
		.2	.2	.1	.0	.1				
2		13	16	37	21	3	1			229
TWO		5.7	7.0	16.2	9.2	1.3	.4			.3
		.3	.4	.2	.1	.1	.1			
3		18	23	55	25	14	4			323
THREE		5.6	7.1	17.0	7.7	4.3	1.2			.5
		.4	.6	.3	.2	.3	.6			
4		20	34	88	61	15	3			447
FOUR		4.5	7.6	19.7	13.6	3.4	.7			.6
		.5	.9	.4	.4	.3	.4			
5		42	41	132	66	24	4		1	672
FIVE		6.3	6.1	19.6	9.8	3.6	.6		.1	1.0
		1.0	1.1	.6	.4	.5	.6		3.8	
6		63	49	193	110	39	11			992
SIX		6.4	4.9	19.5	11.1	3.9	1.1			1.4
		1.6	1.3	.9	.7	.8	1.6			
7		75	64	243	148	53	8		1	1127
SEVEN		6.7	5.7	21.6	13.1	4.7	.7		.1	1.6
		1.9	1.7	1.2	1.0	1.0	1.1		3.8	
8		127	112	492	323	129	10		1	2047
EIGHT		6.2	5.5	24.0	15.8	6.3	.5		.0	2.9
		3.2	2.9	2.3	2.1	2.5	1.4		3.8	
9		139	99	581	341	117	20			2140
NINE		6.5	4.6	27.1	15.9	5.5	.9			3.0
		3.5	2.6	2.8	2.2	2.3	2.8			
10		318	296	1485	1059	318	57	1	1	5552
TEN		5.7	5.3	26.7	19.1	5.7	1.0	.0	.0	7.9
		7.9	7.7	7.0	6.9	6.1	8.1	3.8	3.8	
(Continued)	Column Total	4028	3862	21105	15286	5194	702	26	26	70687
		5.7	5.5	29.9	21.6	7.3	1.0	.0	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
11 ELEVEN		1	3	6	13	51	89	148	192	263	234	246	3848
		.0	.1	.2	.3	1.3	2.3	3.8	5.0	6.8	6.1	6.4	5.4
		100.0	27.3	8.6	4.8	6.5	5.5	6.3	6.0	6.8	5.6	6.0	
12 TWELVE			1	11	35	133	275	411	572	702	794	769	14685
			.0	.1	.2	.9	1.9	2.8	3.9	4.8	5.4	5.2	20.8
			9.1	15.7	12.9	16.8	17.1	17.4	17.9	18.2	18.9	18.8	
13 THIRTEEN				3	18	58	107	172	240	270	285	292	5228
				.1	.3	1.1	2.0	3.3	4.6	5.2	5.5	5.6	7.4
				4.3	6.6	7.3	6.7	7.3	7.5	7.0	6.8	7.2	
14 FOURTEEN			1	6	26	72	140	203	293	395	428	421	8286
			.0	.1	.3	.9	1.7	2.4	3.5	4.8	5.2	5.1	11.7
			9.1	8.6	9.6	9.1	8.7	8.6	9.2	10.2	10.2	10.3	
15 FIFTEEN			1	5	28	84	202	279	451	587	649	660	12455
			.0	.0	.2	.7	1.6	2.2	3.6	4.7	5.2	5.3	17.6
			9.1	7.1	10.3	10.6	12.6	11.8	14.1	15.2	15.4	16.2	
16 SIXTEEN OR MORE				8	27	70	194	322	484	580	676	706	11883
				.1	.2	.6	1.6	2.7	4.1	4.9	5.7	5.9	16.8
				11.4	10.0	8.9	12.1	13.6	15.2	15.0	16.1	17.3	
17 NOT STATED					1	4	8	13	16	14	19	20	212
					.5	1.9	3.8	6.1	7.5	6.6	9.0	9.4	.3
					.4	.5	.5	.5	.5	.4	.5	.5	
Column Total		1	11	70	271	790	1608	2364	3189	3863	4210	4081	70687
		.0	.0	.1	.4	1.1	2.3	3.3	4.5	5.5	6.0	5.8	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
11		242	223	1145	729	236	25	2		3848
ELEVEN		6.3	5.8	29.8	18.9	6.1	.6	.1		5.4
		6.0	5.8	5.4	4.8	4.5	3.6	7.7		
12		748	762	4568	3593	1162	138	4	7	14685
TWELVE		5.1	5.2	31.1	24.5	7.9	.9	.0	.0	20.8
		18.6	19.7	21.6	23.5	22.4	19.7	15.4	26.9	
13		305	284	1685	1107	345	54	1	2	5228
THIRTEEN		5.8	5.4	32.2	21.2	6.6	1.0	.0	.0	7.4
		7.6	7.4	8.0	7.2	6.6	7.7	3.8	7.7	
14		459	482	2601	1982	688	86	2	1	8286
FOURTEEN		5.5	5.8	31.4	23.9	8.3	1.0	.0	.0	11.7
		11.4	12.5	12.3	13.0	13.2	12.3	7.7	3.8	
15		667	683	3949	3025	1037	136	8	4	12455
FIFTEEN		5.4	5.5	31.7	24.3	8.3	1.1	.1	.0	17.6
		16.6	17.7	18.7	19.8	20.0	19.4	30.8	15.4	
16		727	651	3703	2610	971	139	8	7	11883
SIXTEEN OR MORE		6.1	5.5	31.2	22.0	8.2	1.2	.1	.1	16.8
		18.0	16.9	17.5	17.1	18.7	19.8	30.8	26.9	
17		15	9	44	36	12			1	212
NOT STATED		7.1	4.2	20.8	17.0	5.7			.5	.3
		.4	.2	.2	.2	.2			3.8	
Column Total		4028	3862	21105	15286	5194	702	26	26	70687
		5.7	5.5	29.9	21.6	7.3	1.0	.0	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
0 NONE			2	3	4	13	38	62	60	60	94	82	940
			.2	.3	.4	1.4	4.0	6.6	6.4	6.4	10.0	8.7	2.8
			16.7	5.2	1.8	2.2	3.9	4.1	2.9	2.6	3.7	3.0	
1 ONE					3	11	19	14	24	28	34	20	318
					.9	3.5	6.0	4.4	7.5	8.8	10.7	6.3	1.0
					1.4	1.8	2.0	.9	1.2	1.2	1.3	.7	
2 TWO				1	9	14	14	23	31	49	51	39	440
				.2	2.0	3.2	3.2	5.2	7.0	11.1	11.6	8.9	1.3
				1.7	4.1	2.3	1.4	1.5	1.5	2.1	2.0	1.4	
3 THREE			1	1	4	18	20	31	37	45	53	51	530
			.2	.2	.8	3.4	3.8	5.8	7.0	8.5	10.0	9.6	1.6
			8.3	1.7	1.8	3.0	2.1	2.1	1.8	2.0	2.1	1.9	
4 FOUR				2	10	22	30	51	92	73	80	87	865
				.2	1.2	2.5	3.5	5.9	10.6	8.4	9.2	10.1	2.6
				3.4	4.6	3.7	3.1	3.4	4.5	3.2	3.2	3.2	
5 FIVE				2	6	19	29	63	88	99	95	98	966
				.2	.6	2.0	3.0	6.5	9.1	10.2	9.8	10.1	2.9
				3.4	2.8	3.2	3.0	4.2	4.3	4.3	3.7	3.6	
6 SIX				5	16	32	43	67	101	103	92	114	1195
				.4	1.3	2.7	3.6	5.6	8.5	8.6	7.7	9.5	3.6
				8.6	7.4	5.3	4.4	4.5	4.9	4.5	3.6	4.2	
7 SEVEN			1	2	8	28	48	72	96	79	88	110	1111
			.1	.2	.7	2.5	4.3	6.5	8.6	7.1	7.9	9.9	3.3
			8.3	3.4	3.7	4.7	5.0	4.8	4.7	3.4	3.5	4.1	
8 EIGHT				2	15	41	68	109	133	142	160	189	1911
				.1	.8	2.1	3.6	5.7	7.0	7.4	8.4	9.9	5.7
				3.4	6.9	6.8	7.0	7.2	6.5	6.2	6.3	7.0	
9 NINE				3	11	27	49	87	120	120	117	115	1482
				.2	.7	1.8	3.3	5.9	8.1	8.1	7.9	7.8	4.5
				5.2	5.1	4.5	5.1	5.8	5.9	5.2	4.6	4.2	
10 TEN		1	2	6	34	83	149	175	221	279	291	298	3581
		.0	.1	.2	.9	2.3	4.2	4.9	6.2	7.8	8.1	8.3	10.8
		50.0	16.7	10.3	15.7	13.8	15.4	11.6	10.8	12.2	11.5	11.0	
Column Total		2	12	58	217	602	969	1504	2050	2293	2535	2714	33238
		.0	.0	.2	.7	1.8	2.9	4.5	6.2	6.9	7.6	8.2	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	64	63	45	196	104	40	8	1	1	940
		6.8	6.7	4.8	20.9	11.1	4.3	.9	.1	.1	2.8
		2.7	3.2	2.4	2.5	2.3	2.5	3.5	20.0	4.8	
ONE	1	27	18	19	59	28	13	1			318
		8.5	5.7	6.0	18.6	8.8	4.1	.3			1.0
		1.2	.9	1.0	.8	.6	.8	.4			
TWO	2	27	20	20	84	46	12				440
		6.1	4.5	4.5	19.1	10.5	2.7				1.3
		1.2	1.0	1.1	1.1	1.0	.8				
THREE	3	40	44	31	93	38	21	2			530
		7.5	8.3	5.8	17.5	7.2	4.0	.4			1.6
		1.7	2.2	1.7	1.2	.8	1.3	.9			
FOUR	4	63	34	50	163	74	29	5			865
		7.3	3.9	5.8	18.8	8.6	3.4	.6			2.6
		2.7	1.7	2.7	2.1	1.7	1.8	2.2			
FIVE	5	72	60	53	163	80	33	5		1	966
		7.5	6.2	5.5	16.9	8.3	3.4	.5		.1	2.9
		3.1	3.0	2.9	2.1	1.8	2.1	2.2		4.8	
SIX	6	84	69	65	232	115	54	2		1	1195
		7.0	5.8	5.4	19.4	9.6	4.5	.2		.1	3.6
		3.6	3.5	3.5	3.0	2.6	3.4	.9		4.8	
SEVEN	7	91	62	62	227	93	39	4	1		1111
		8.2	5.6	5.6	20.4	8.4	3.5	.4	.1		3.3
		3.9	3.1	3.4	2.9	2.1	2.5	1.8	20.0		
EIGHT	8	142	119	107	411	189	71	12		1	1911
		7.4	6.2	5.6	21.5	9.9	3.7	.6		.1	5.7
		6.1	6.0	5.8	5.3	4.2	4.5	5.3		4.8	
NINE	9	111	95	89	299	178	55	4		2	1482
		7.5	6.4	6.0	20.2	12.0	3.7	.3		.1	4.5
		4.8	4.8	4.8	3.8	4.0	3.5	1.8		9.5	
TEN	10	261	210	187	759	459	142	21	1	2	3581
		7.3	5.9	5.2	21.2	12.8	4.0	.6	.0	.1	10.8
		11.2	10.6	10.2	9.7	10.3	9.0	9.3	20.0	9.5	
(Continued)	Column Total	2336	1988	1838	7816	4477	1575	226	5	21	33238
		7.0	6.0	5.5	23.5	13.5	4.7	.7	.0	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
11 ELEVEN		1	2	4	9	36	60	112	142	145	153	176	1962
		.1	.1	.2	.5	1.8	3.1	5.7	7.2	7.4	7.8	9.0	5.9
		50.0	16.7	6.9	4.1	6.0	6.2	7.4	6.9	6.3	6.0	6.5	
12 TWELVE			3	7	31	103	128	231	304	318	368	393	5196
			.1	.1	.6	2.0	2.5	4.4	5.9	6.1	7.1	7.6	15.6
			25.0	12.1	14.3	17.1	13.2	15.4	14.8	13.9	14.5	14.5	
13 THIRTEEN				3	14	32	48	72	97	128	158	150	1935
				.2	.7	1.7	2.5	3.7	5.0	6.6	8.2	7.8	5.8
				5.2	6.5	5.3	5.0	4.8	4.7	5.6	6.2	5.5	
14 FOURTEEN				3	13	31	62	87	137	180	182	194	2759
				.1	.5	1.1	2.2	3.2	5.0	6.5	6.6	7.0	8.3
				5.2	6.0	5.1	6.4	5.8	6.7	7.8	7.2	7.1	
15 FIFTEEN				10	22	62	97	141	235	274	311	338	4519
				.2	.5	1.4	2.1	3.1	5.2	6.1	6.9	7.5	13.6
				17.2	10.1	10.3	10.0	9.4	11.5	11.9	12.3	12.5	
16 SIXTEEN OR MORE			1	4	8	29	63	99	124	161	194	244	3390
			.0	.1	.2	.9	1.9	2.9	3.7	4.7	5.7	7.2	10.2
			8.3	6.9	3.7	4.8	6.5	6.6	6.0	7.0	7.7	9.0	
17 NOT STATED						1	4	8	8	10	14	16	138
						.7	2.9	5.8	5.8	7.2	10.1	11.6	.4
						.2	.4	.5	.4	.4	.6	.6	
(Continued)	Column Total	2 .0	12 .0	58 .2	217 .7	602 1.8	969 2.9	1504 4.5	2050 6.2	2293 6.9	2535 7.6	2714 8.2	33238 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
11 ELEVEN	11	139	97	97	433	259	83	13		1	1962
		7.1	4.9	4.9	22.1	13.2	4.2	.7		.1	5.9
		6.0	4.9	5.3	5.5	5.8	5.3	5.8		4.8	
12 TWELVE	12	367	326	273	1283	743	272	43		3	5196
		7.1	6.3	5.3	24.7	14.3	5.2	.8		.1	15.6
		15.7	16.4	14.9	16.4	16.6	17.3	19.0		14.3	
13 THIRTEEN	13	132	121	108	477	288	94	12		1	1935
		6.8	6.3	5.6	24.7	14.9	4.9	.6		.1	5.8
		5.7	6.1	5.9	6.1	6.4	6.0	5.3		4.8	
14 FOURTEEN	14	184	169	159	716	447	167	26		2	2759
		6.7	6.1	5.8	26.0	16.2	6.1	.9		.1	8.3
		7.9	8.5	8.7	9.2	10.0	10.6	11.5		9.5	
15 FIFTEEN	15	311	254	282	1224	687	236	31	1	3	4519
		6.9	5.6	6.2	27.1	15.2	5.2	.7	.0	.1	13.6
		13.3	12.8	15.3	15.7	15.3	15.0	13.7	20.0	14.3	
16 SIXTEEN OR MORE	16	214	214	187	963	635	212	35	1	2	3390
		6.3	6.3	5.5	28.4	18.7	6.3	1.0	.0	.1	10.2
		9.2	10.8	10.2	12.3	14.2	13.5	15.5	20.0	9.5	
17 NOT STATED	17	7	13	4	34	14	2	2		1	138
		5.1	9.4	2.9	24.6	10.1	1.4	1.4		.7	.4
		.3	.7	.2	.4	.3	.1	.9		4.8	
	Column Total	2336	1988	1838	7816	4477	1575	226	5	21	33238
		7.0	6.0	5.5	23.5	13.5	4.7	.7	.0	.1	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY MARITAL STATUS

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	STATUS MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
0 NONE		270	1105	1	1376
		19.6	80.3	.1	1.3
		.4	3.4	4.3	
1 ONE		86	357		443
		19.4	80.6		.4
		.1	1.1		
2 TWO		188	481		669
		28.1	71.9		.6
		.3	1.5		
3 THREE		252	600	1	853
		29.5	70.3	.1	.8
		.4	1.8	4.3	
4 FOUR		427	885		1312
		32.5	67.5		1.3
		.6	2.7		
5 FIVE		614	1024		1638
		37.5	62.5		1.6
		.9	3.1		
6 SIX		915	1271	1	2187
		41.8	58.1	.0	2.1
		1.3	3.9	4.3	
7 SEVEN		1065	1173		2238
		47.6	52.4		2.2
		1.5	3.6		
8 EIGHT		1955	2002	1	3958
		49.4	50.6	.0	3.8
		2.7	6.2	4.3	
9 NINE		2094	1528		3622
		57.8	42.2		3.5
		2.9	4.7		
10 TEN		5491	3640	2	9133
		60.1	39.9	.0	8.8
		7.7	11.2	8.7	
	Column Total	71365	32537	23	103925
		68.7	31.3	.0	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	STATUS MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
11 ELEVEN		3889	1921		5810
		66.9	33.1		5.6
		5.4	5.9		
12 TWELVE		14822	5054	5	19881
		74.6	25.4	.0	19.1
		20.8	15.5	21.7	
13 THIRTEEN		5279	1881	3	7163
		73.7	26.3	.0	6.9
		7.4	5.8	13.0	
14 FOURTEEN		8546	2495	4	11045
		77.4	22.6	.0	10.6
		12.0	7.7	17.4	
15 FIFTEEN		13004	3969	1	16974
		76.6	23.4	.0	16.3
		18.2	12.2	4.3	
16 SIXTEEN OR MORE		12280	2993		15273
		80.4	19.6		14.7
		17.2	9.2		
17 NOT STATED		188	158	4	350
		53.7	45.1	1.1	.3
		.3	.5	17.4	
	Column Total	71365	32537	23	103925
		68.7	31.3	.0	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	STATUS MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
0 NONE		159	276	1	436
		36.5	63.3	.2	.6
		.3	2.4	6.3	
1 ONE		54	71		125
		43.2	56.8		.2
		.1	.6		
2 TWO		118	111		229
		51.5	48.5		.3
		.2	1.0		
3 THREE		165	157	1	323
		51.1	48.6	.3	.5
		.3	1.4	6.3	
4 FOUR		259	188		447
		57.9	42.1		.6
		.4	1.7		
5 FIVE		423	249		672
		62.9	37.1		1.0
		.7	2.2		
6 SIX		624	368		992
		62.9	37.1		1.4
		1.1	3.2		
7 SEVEN		773	354		1127
		68.6	31.4		1.6
		1.3	3.1		
8 EIGHT		1436	610	1	2047
		70.2	29.8	.0	2.9
		2.4	5.4	6.3	
9 NINE		1634	506		2140
		76.4	23.6		3.0
		2.8	4.4		
10 TEN		4350	1201	1	5552
		78.4	21.6	.0	7.9
		7.3	10.6	6.3	
	Column Total	59292	11379	16	70687
		83.9	16.1	.0	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	STATUS	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
11 ELEVEN	Count	3206	642		3848
	Row Pct	83.3	16.7		5.4
	Col Pct	5.4	5.6		
12 TWELVE	Count	12707	1975	3	14685
	Row Pct	86.5	13.4	.0	20.8
	Col Pct	21.4	17.4	18.8	
13 THIRTEEN	Count	4469	756	3	5228
	Row Pct	85.5	14.5	.1	7.4
	Col Pct	7.5	6.6	18.8	
14 FOURTEEN	Count	7321	963	2	8286
	Row Pct	88.4	11.6	.0	11.7
	Col Pct	12.3	8.5	12.5	
15 FIFTEEN	Count	10945	1509	1	12455
	Row Pct	87.9	12.1	.0	17.6
	Col Pct	18.5	13.3	6.3	
16 SIXTEEN OR MORE	Count	10498	1385		11883
	Row Pct	88.3	11.7		16.8
	Col Pct	17.7	12.2		
17 NOT STATED	Count	151	58	3	212
	Row Pct	71.2	27.4	1.4	.3
	Col Pct	.3	.5	18.8	
Column Total		59292	11379	16	70687
		83.9	16.1	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	STATUS MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
0 NONE		111	829		940
		11.8	88.2		2.8
		.9	3.9		
1 ONE		32	286		318
		10.1	89.9		1.0
		.3	1.4		
2 TWO		70	370		440
		15.9	84.1		1.3
		.6	1.7		
3 THREE		87	443		530
		16.4	83.6		1.6
		.7	2.1		
4 FOUR		168	697		865
		19.4	80.6		2.6
		1.4	3.3		
5 FIVE		191	775		966
		19.8	80.2		2.9
		1.6	3.7		
6 SIX		291	903	1	1195
		24.4	75.6	.1	3.6
		2.4	4.3	14.3	
7 SEVEN		292	819		1111
		26.3	73.7		3.3
		2.4	3.9		
8 EIGHT		519	1392		1911
		27.2	72.8		5.7
		4.3	6.6		
9 NINE		460	1022		1482
		31.0	69.0		4.5
		3.8	4.8		
10 TEN		1141	2439	1	3581
		31.9	68.1	.0	10.8
		9.5	11.5	14.3	
	Column Total	12073	21158	7	33238
		36.3	63.7	.0	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	STATUS MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
11 ELEVEN		683	1279		1962
		34.8	65.2		5.9
		5.7	6.0		
12 TWELVE		2115	3079	2	5196
		40.7	59.3	.0	15.6
		17.5	14.6	28.6	
13 THIRTEEN		810	1125		1935
		41.9	58.1		5.8
		6.7	5.3		
14 FOURTEEN		1225	1532	2	2759
		44.4	55.5	.1	8.3
		10.1	7.2	28.6	
15 FIFTEEN		2059	2460		4519
		45.6	54.4		13.6
		17.1	11.6		
16 SIXTEEN OR MORE		1782	1608		3390
		52.6	47.4		10.2
		14.8	7.6		
17 NOT STATED		37	100	1	138
		26.8	72.5	.7	.4
		.3	.5	14.3	
Column Total		12073	21158	7	33238
		36.3	63.7	.0	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY BIRTH ORDER

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
0 NONE		288	314	285	213	111	74	45	21	21	4	1376
		20.9	22.8	20.7	15.5	8.1	5.4	3.3	1.5	1.5	.3	1.3
		.8	1.0	1.5	2.4	2.8	4.5	6.0	6.4	7.3	2.4	
1 ONE		89	123	102	62	26	14	13	9	1	4	443
		20.1	27.8	23.0	14.0	5.9	3.2	2.9	2.0	.2	.9	.4
		.2	.4	.5	.7	.7	.8	1.7	2.7	.3	2.4	
2 TWO		141	186	140	98	49	31	12	2	7	3	669
		21.1	27.8	20.9	14.6	7.3	4.6	1.8	.3	1.0	.4	.6
		.4	.6	.7	1.1	1.2	1.9	1.6	.6	2.4	1.8	
3 THREE		204	229	187	111	62	35	11	10	3	1	853
		23.9	26.8	21.9	13.0	7.3	4.1	1.3	1.2	.4	.1	.8
		.6	.7	1.0	1.3	1.6	2.1	1.5	3.0	1.0	.6	
4 FOUR		305	340	293	174	100	49	29	12	8	2	1312
		23.2	25.9	22.3	13.3	7.6	3.7	2.2	.9	.6	.2	1.3
		.8	1.0	1.5	2.0	2.5	3.0	3.9	3.6	2.8	1.2	
5 FIVE		433	466	333	185	122	50	24	15	8	2	1638
		26.4	28.4	20.3	11.3	7.4	3.1	1.5	.9	.5	.1	1.6
		1.2	1.4	1.8	2.1	3.1	3.0	3.2	4.5	2.8	1.2	
6 SIX		627	610	447	256	136	63	21	11	12	4	2187
		28.7	27.9	20.4	11.7	6.2	2.9	1.0	.5	.5	.2	2.1
		1.7	1.9	2.4	2.9	3.4	3.8	2.8	3.3	4.2	2.4	
7 SEVEN		700	647	437	236	131	41	21	14	9	2	2238
		31.3	28.9	19.5	10.5	5.9	1.8	.9	.6	.4	.1	2.2
		1.9	2.0	2.3	2.7	3.3	2.5	2.8	4.2	3.1	1.2	
8 EIGHT		1255	1116	798	408	220	80	41	13	17	10	3958
		31.7	28.2	20.2	10.3	5.6	2.0	1.0	.3	.4	.3	3.8
		3.5	3.4	4.2	4.6	5.5	4.8	5.5	3.9	5.9	6.1	
9 NINE		1275	1079	641	311	154	88	34	17	14	9	3622
		35.2	29.8	17.7	8.6	4.3	2.4	.9	.5	.4	.2	3.5
		3.5	3.3	3.4	3.5	3.9	5.3	4.5	5.2	4.9	5.5	
10 TEN		3094	2810	1751	822	377	133	67	34	26	19	9133
		33.9	30.8	19.2	9.0	4.1	1.5	.7	.4	.3	.2	8.8
		8.6	8.6	9.2	9.3	9.5	8.0	9.0	10.3	9.1	11.6	
(Continued)	Column Total	36134	32839	18956	8825	3987	1656	748	330	286	164	103925
		34.8	31.6	18.2	8.5	3.8	1.6	.7	.3	.3	.2	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11 ELEVEN		2092	1904	1005	472	160	95	43	17	16	6	5810
		36.0	32.8	17.3	8.1	2.8	1.6	.7	.3	.3	.1	5.6
		5.8	5.8	5.3	5.3	4.0	5.7	5.7	5.2	5.6	3.7	
12 TWELVE		7073	6490	3608	1567	682	244	123	36	38	20	19881
		35.6	32.6	18.1	7.9	3.4	1.2	.6	.2	.2	.1	19.1
		19.6	19.8	19.0	17.8	17.1	14.7	16.4	10.9	13.3	12.2	
13 THIRTEEN		2725	2325	1209	529	220	96	32	19	4	4	7163
		38.0	32.5	16.9	7.4	3.1	1.3	.4	.3	.1	.1	6.9
		7.5	7.1	6.4	6.0	5.5	5.8	4.3	5.8	1.4	2.4	
14 FOURTEEN		4000	3703	1921	848	332	123	55	27	19	17	11045
		36.2	33.5	17.4	7.7	3.0	1.1	.5	.2	.2	.2	10.6
		11.1	11.3	10.1	9.6	8.3	7.4	7.4	8.2	6.6	10.4	
15 FIFTEEN		6199	5517	3011	1277	577	218	82	38	37	18	16974
		36.5	32.5	17.7	7.5	3.4	1.3	.5	.2	.2	.1	16.3
		17.2	16.8	15.9	14.5	14.5	13.2	11.0	11.5	12.9	11.0	
16 SIXTEEN OR MORE		5530	4877	2722	1224	509	216	92	35	42	26	15273
		36.2	31.9	17.8	8.0	3.3	1.4	.6	.2	.3	.2	14.7
		15.3	14.9	14.4	13.9	12.8	13.0	12.3	10.6	14.7	15.9	
17 NOT STATED		104	103	66	32	19	6	3		4	13	350
		29.7	29.4	18.9	9.1	5.4	1.7	.9		1.1	3.7	.3
		.3	.3	.3	.4	.5	.4	.4		1.4	7.9	
Column Total		36134	32839	18956	8825	3987	1656	748	330	286	164	103925
		34.8	31.6	18.2	8.5	3.8	1.6	.7	.3	.3	.2	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
0 NONE	Count	152	98	80	47	22	12	11	4	8	2	436
	Row Pct	34.9	22.5	18.3	10.8	5.0	2.8	2.5	.9	1.8	.5	.6
	Col Pct	.6	.4	.6	.9	1.0	1.4	2.9	2.7	6.0	2.0	
1 ONE	Count	27	47	27	12	7	1	1	2		1	125
	Row Pct	21.6	37.6	21.6	9.6	5.6	.8	.8	1.6		.8	.2
	Col Pct	.1	.2	.2	.2	.3	.1	.3	1.4		1.0	
2 TWO	Count	63	64	47	25	14	7	4		2	3	229
	Row Pct	27.5	27.9	20.5	10.9	6.1	3.1	1.7		.9	1.3	.3
	Col Pct	.2	.3	.4	.5	.6	.8	1.1		1.5	3.0	
3 THREE	Count	97	82	72	37	18	10	4	2	1		323
	Row Pct	30.0	25.4	22.3	11.5	5.6	3.1	1.2	.6	.3		.5
	Col Pct	.4	.4	.6	.7	.8	1.2	1.1	1.4	.7		
4 FOUR	Count	127	113	104	43	33	10	11	4	1	1	447
	Row Pct	28.4	25.3	23.3	9.6	7.4	2.2	2.5	.9	.2	.2	.6
	Col Pct	.5	.5	.8	.8	1.5	1.2	2.9	2.7	.7	1.0	
5 FIVE	Count	199	200	128	71	48	13	6	5	2		672
	Row Pct	29.6	29.8	19.0	10.6	7.1	1.9	.9	.7	.3		1.0
	Col Pct	.8	.9	1.0	1.4	2.2	1.5	1.6	3.4	1.5		
6 SIX	Count	314	290	193	99	52	29	5	4	5	1	992
	Row Pct	31.7	29.2	19.5	10.0	5.2	2.9	.5	.4	.5	.1	1.4
	Col Pct	1.2	1.2	1.6	1.9	2.3	3.3	1.3	2.7	3.7	1.0	
7 SEVEN	Count	366	349	213	106	60	19	8	3	1	2	1127
	Row Pct	32.5	31.0	18.9	9.4	5.3	1.7	.7	.3	.1	.2	1.6
	Col Pct	1.4	1.5	1.7	2.0	2.7	2.2	2.1	2.0	.7	2.0	
8 EIGHT	Count	709	609	393	179	99	31	14	6	5	2	2047
	Row Pct	34.6	29.8	19.2	8.7	4.8	1.5	.7	.3	.2	.1	2.9
	Col Pct	2.7	2.6	3.2	3.4	4.4	3.6	3.7	4.1	3.7	2.0	
9 NINE	Count	800	658	368	154	79	46	19	6	6	4	2140
	Row Pct	37.4	30.7	17.2	7.2	3.7	2.1	.9	.3	.3	.2	3.0
	Col Pct	3.1	2.8	3.0	2.9	3.5	5.3	5.0	4.1	4.5	4.0	
10 TEN	Count	1963	1772	1036	434	206	67	36	16	10	12	5552
	Row Pct	35.4	31.9	18.7	7.8	3.7	1.2	.6	.3	.2	.2	7.9
	Col Pct	7.6	7.6	8.3	8.3	9.2	7.7	9.5	10.9	7.5	12.1	
Column Total		25975	23203	12431	5223	2231	867	377	147	134	99	70687
		36.7	32.8	17.6	7.4	3.2	1.2	.5	.2	.2	.1	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11 ELEVEN	Count	1394	1336	650	277	87	55	24	13	8	4	3848
	Row Pct	36.2	34.7	16.9	7.2	2.3	1.4	.6	.3	.2	.1	5.4
	Col Pct	5.4	5.8	5.2	5.3	3.9	6.3	6.4	8.8	6.0	4.0	
12 TWELVE	Count	5371	4969	2573	1052	445	153	74	19	17	12	14685
	Row Pct	36.6	33.8	17.5	7.2	3.0	1.0	.5	.1	.1	.1	20.8
	Col Pct	20.7	21.4	20.7	20.1	19.9	17.6	19.6	12.9	12.7	12.1	
13 THIRTEEN	Count	2018	1758	864	357	133	64	21	8	2	3	5228
	Row Pct	38.6	33.6	16.5	6.8	2.5	1.2	.4	.2	.0	.1	7.4
	Col Pct	7.8	7.6	7.0	6.8	6.0	7.4	5.6	5.4	1.5	3.0	
14 FOURTEEN	Count	3096	2824	1449	561	213	74	30	18	12	9	8286
	Row Pct	37.4	34.1	17.5	6.8	2.6	.9	.4	.2	.1	.1	11.7
	Col Pct	11.9	12.2	11.7	10.7	9.5	8.5	8.0	12.2	9.0	9.1	
15 FIFTEEN	Count	4713	4146	2131	871	357	133	50	16	23	15	12455
	Row Pct	37.8	33.3	17.1	7.0	2.9	1.1	.4	.1	.2	.1	17.6
	Col Pct	18.1	17.9	17.1	16.7	16.0	15.3	13.3	10.9	17.2	15.2	
16 SIXTEEN OR MORE	Count	4491	3830	2065	882	347	140	58	21	29	20	11883
	Row Pct	37.8	32.2	17.4	7.4	2.9	1.2	.5	.2	.2	.2	16.8
	Col Pct	17.3	16.5	16.6	16.9	15.6	16.1	15.4	14.3	21.6	20.2	
17 NOT STATED	Count	75	58	38	16	11	3	1		2	8	212
	Row Pct	35.4	27.4	17.9	7.5	5.2	1.4	.5		.9	3.8	.3
	Col Pct	.3	.2	.3	.3	.5	.3	.3		1.5	8.1	
Column Total	Count	25975	23203	12431	5223	2231	867	377	147	134	99	70687
	Percent	36.7	32.8	17.6	7.4	3.2	1.2	.5	.2	.2	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	136	216	205	166	89	62	34	17	13	2	940
		14.5	23.0	21.8	17.7	9.5	6.6	3.6	1.8	1.4	.2	2.8
		1.3	2.2	3.1	4.6	5.1	7.9	9.2	9.3	8.6	3.1	
ONE	1	62	76	75	50	19	13	12	7	1	3	318
		19.5	23.9	23.6	15.7	6.0	4.1	3.8	2.2	.3	.9	1.0
		.6	.8	1.1	1.4	1.1	1.6	3.2	3.8	.7	4.6	
TWO	2	78	122	93	73	35	24	8	2	5		440
		17.7	27.7	21.1	16.6	8.0	5.5	1.8	.5	1.1		1.3
		.8	1.3	1.4	2.0	2.0	3.0	2.2	1.1	3.3		
THREE	3	107	147	115	74	44	25	7	8	2	1	530
		20.2	27.7	21.7	14.0	8.3	4.7	1.3	1.5	.4	.2	1.6
		1.1	1.5	1.8	2.1	2.5	3.2	1.9	4.4	1.3	1.5	
FOUR	4	178	227	189	131	67	39	18	8	7	1	865
		20.6	26.2	21.8	15.1	7.7	4.5	2.1	.9	.8	.1	2.6
		1.8	2.4	2.9	3.6	3.8	4.9	4.9	4.4	4.6	1.5	
FIVE	5	234	266	205	114	74	37	18	10	6	2	966
		24.2	27.5	21.2	11.8	7.7	3.8	1.9	1.0	.6	.2	2.9
		2.3	2.8	3.1	3.2	4.2	4.7	4.9	5.5	3.9	3.1	
SIX	6	313	320	254	157	84	34	16	7	7	3	1195
		26.2	26.8	21.3	13.1	7.0	2.8	1.3	.6	.6	.3	3.6
		3.1	3.3	3.9	4.4	4.8	4.3	4.3	3.8	4.6	4.6	
SEVEN	7	334	298	224	130	71	22	13	11	8		1111
		30.1	26.8	20.2	11.7	6.4	2.0	1.2	1.0	.7		3.3
		3.3	3.1	3.4	3.6	4.0	2.8	3.5	6.0	5.3		
EIGHT	8	546	507	405	229	121	49	27	7	12	8	1911
		28.6	26.5	21.2	12.0	6.3	2.6	1.4	.4	.6	.4	5.7
		5.4	5.3	6.2	6.4	6.9	6.2	7.3	3.8	7.9	12.3	
NINE	9	475	421	273	157	75	42	15	11	8	5	1482
		32.1	28.4	18.4	10.6	5.1	2.8	1.0	.7	.5	.3	4.5
		4.7	4.4	4.2	4.4	4.3	5.3	4.0	6.0	5.3	7.7	
TEN	10	1131	1038	715	388	171	66	31	18	16	7	3581
		31.6	29.0	20.0	10.8	4.8	1.8	.9	.5	.4	.2	10.8
		11.1	10.8	11.0	10.8	9.7	8.4	8.4	9.8	10.5	10.8	
(Continued)	Column Total	10159	9636	6525	3602	1756	789	371	183	152	65	33238
		30.6	29.0	19.6	10.8	5.3	2.4	1.1	.6	.5	.2	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
		1	2	3	4	5	6	7	8	9	10	
11 ELEVEN	Count	698	568	355	195	73	40	19	4	8	2	1962
	Row Pct	35.6	29.0	18.1	9.9	3.7	2.0	1.0	.2	.4	.1	5.9
	Col Pct	6.9	5.9	5.4	5.4	4.2	5.1	5.1	2.2	5.3	3.1	
12 TWELVE	Count	1702	1521	1035	515	237	91	49	17	21	8	5196
	Row Pct	32.8	29.3	19.9	9.9	4.6	1.8	.9	.3	.4	.2	15.6
	Col Pct	16.8	15.8	15.9	14.3	13.5	11.5	13.2	9.3	13.8	12.3	
13 THIRTEEN	Count	707	567	345	172	87	32	11	11	2	1	1935
	Row Pct	36.5	29.3	17.8	8.9	4.5	1.7	.6	.6	.1	.1	5.8
	Col Pct	7.0	5.9	5.3	4.8	5.0	4.1	3.0	6.0	1.3	1.5	
14 FOURTEEN	Count	904	879	472	287	119	49	25	9	7	8	2759
	Row Pct	32.8	31.9	17.1	10.4	4.3	1.8	.9	.3	.3	.3	8.3
	Col Pct	8.9	9.1	7.2	8.0	6.8	6.2	6.7	4.9	4.6	12.3	
15 FIFTEEN	Count	1486	1371	880	406	220	85	32	22	14	3	4519
	Row Pct	32.9	30.3	19.5	9.0	4.9	1.9	.7	.5	.3	.1	13.6
	Col Pct	14.6	14.2	13.5	11.3	12.5	10.8	8.6	12.0	9.2	4.6	
16 SIXTEEN OR MORE	Count	1039	1047	657	342	162	76	34	14	13	6	3390
	Row Pct	30.6	30.9	19.4	10.1	4.8	2.2	1.0	.4	.4	.2	10.2
	Col Pct	10.2	10.9	10.1	9.5	9.2	9.6	9.2	7.7	8.6	9.2	
17 NOT STATED	Count	29	45	28	16	8	3	2		2	5	138
	Row Pct	21.0	32.6	20.3	11.6	5.8	2.2	1.4		1.4	3.6	.4
	Col Pct	.3	.5	.4	.4	.5	.4	.5		1.3	7.7	
Column Total		10159	9636	6525	3602	1756	789	371	183	152	65	33238
		30.6	29.0	19.6	10.8	5.3	2.4	1.1	.6	.5	.2	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY BIRTH WEIGHT

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BW UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0 NONE		127	286	960	3	1376
		9.2	20.8	69.8	.2	1.3
		7.4	4.1	1.0	8.3	
1 ONE		54	85	304		443
		12.2	19.2	68.6		.4
		3.1	1.2	.3		
2 TWO		72	108	487	2	669
		10.8	16.1	72.8	.3	.6
		4.2	1.5	.5	5.6	
3 THREE		94	101	658		853
		11.0	11.8	77.1		.8
		5.5	1.4	.7		
4 FOUR		132	179	999	2	1312
		10.1	13.6	76.1	.2	1.3
		7.7	2.5	1.1	5.6	
5 FIVE		178	217	1240	3	1638
		10.9	13.2	75.7	.2	1.6
		10.3	3.1	1.3	8.3	
6 SIX		156	284	1747		2187
		7.1	13.0	79.9		2.1
		9.0	4.0	1.8		
7 SEVEN		109	263	1865	1	2238
		4.9	11.8	83.3	.0	2.2
		6.3	3.7	2.0	2.8	
8 EIGHT		155	515	3287	1	3958
		3.9	13.0	83.0	.0	3.8
		9.0	7.3	3.5	2.8	
9 NINE		47	341	3232	2	3622
		1.3	9.4	89.2	.1	3.5
		2.7	4.9	3.4	5.6	
10 TEN		177	817	8137	2	9133
		1.9	8.9	89.1	.0	8.8
		10.3	11.6	8.6	5.6	
(Continued)	Column Total	1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
11 ELEVEN		23	339	5446	2	5810
		.4	5.8	93.7	.0	5.6
		1.3	4.8	5.7	5.6	
12 TWELVE		133	995	18751	2	19881
		.7	5.0	94.3	.0	19.1
		7.7	14.2	19.7	5.6	
13 THIRTEEN		30	317	6814	2	7163
		.4	4.4	95.1	.0	6.9
		1.7	4.5	7.2	5.6	
14 FOURTEEN		27	451	10563	4	11045
		.2	4.1	95.6	.0	10.6
		1.6	6.4	11.1	11.1	
15 FIFTEEN		113	817	16043	1	16974
		.7	4.8	94.5	.0	16.3
		6.6	11.6	16.9	2.8	
16 SIXTEEN OR MORE		73	868	14331	1	15273
		.5	5.7	93.8	.0	14.7
		4.2	12.4	15.1	2.8	
17 NOT STATED		24	42	276	8	350
		6.9	12.0	78.9	2.3	.3
		1.4	.6	.3	22.2	
	Column Total	1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
0 NONE		20 4.6 2.7	62 14.2 1.7	354 81.2 .5		436 .6
1 ONE		10 8.0 1.4	14 11.2 .4	101 80.8 .2		125 .2
2 TWO		21 9.2 2.8	38 16.6 1.0	170 74.2 .3		229 .3
3 THREE		33 10.2 4.5	33 10.2 .9	257 79.6 .4		323 .5
4 FOUR		43 9.6 5.8	57 12.8 1.5	347 77.6 .5		447 .6
5 FIVE		77 11.5 10.4	87 12.9 2.3	508 75.6 .8		672 1.0
6 SIX		59 5.9 8.0	131 13.2 3.5	802 80.8 1.2		992 1.4
7 SEVEN		53 4.7 7.2	118 10.5 3.1	955 84.7 1.4	1 .1 6.7	1127 1.6
8 EIGHT		67 3.3 9.1	250 12.2 6.7	1730 84.5 2.6		2047 2.9
9 NINE		23 1.1 3.1	186 8.7 5.0	1929 90.1 2.9	2 .1 13.3	2140 3.0
10 TEN		81 1.5 10.9	440 7.9 11.7	5031 90.6 7.6		5552 7.9
(Continued)	Column Total	740 1.0	3757 5.3	66175 93.6	15 .0	70687 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

PCVISIT	BW Count / Row Pct / Col Pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
11 ELEVEN		12	171	3664	1	3848
		.3	4.4	95.2	.0	5.4
		1.6	4.6	5.5	6.7	
12 TWELVE		80	584	14019	2	14685
		.5	4.0	95.5	.0	20.8
		10.8	15.5	21.2	13.3	
13 THIRTEEN		15	195	5017	1	5228
		.3	3.7	96.0	.0	7.4
		2.0	5.2	7.6	6.7	
14 FOURTEEN		13	274	7997	2	8286
		.2	3.3	96.5	.0	11.7
		1.8	7.3	12.1	13.3	
15 FIFTEEN		66	490	11898	1	12455
		.5	3.9	95.5	.0	17.6
		8.9	13.0	18.0	6.7	
16 SIXTEEN OR MORE		56	607	11219	1	11883
		.5	5.1	94.4	.0	16.8
		7.6	16.2	17.0	6.7	
17 NOT STATED		11	20	177	4	212
		5.2	9.4	83.5	1.9	.3
		1.5	.5	.3	26.7	
Column Total		740	3757	66175	15	70687
		1.0	5.3	93.6	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
0 NONE		107	224	606	3	940
		11.4	23.8	64.5	.3	2.8
		10.9	6.9	2.1	14.3	
1 ONE		44	71	203		318
		13.8	22.3	63.8		1.0
		4.5	2.2	.7		
2 TWO		51	70	317	2	440
		11.6	15.9	72.0	.5	1.3
		5.2	2.1	1.1	9.5	
3 THREE		61	68	401		530
		11.5	12.8	75.7		1.6
		6.2	2.1	1.4		
4 FOUR		89	122	652	2	865
		10.3	14.1	75.4	.2	2.6
		9.0	3.7	2.3	9.5	
5 FIVE		101	130	732	3	966
		10.5	13.5	75.8	.3	2.9
		10.3	4.0	2.5	14.3	
6 SIX		97	153	945		1195
		8.1	12.8	79.1		3.6
		9.9	4.7	3.3		
7 SEVEN		56	145	910		1111
		5.0	13.1	81.9		3.3
		5.7	4.4	3.1		
8 EIGHT		88	265	1557	1	1911
		4.6	13.9	81.5	.1	5.7
		8.9	8.1	5.4	4.8	
9 NINE		24	155	1303		1482
		1.6	10.5	87.9		4.5
		2.4	4.7	4.5		
10 TEN		96	377	3106	2	3581
		2.7	10.5	86.7	.1	10.8
		9.8	11.5	10.7	9.5	
	Column Total	984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
11 ELEVEN	11	168	1782	1	1962
	.6	8.6	90.8	.1	5.9
	1.1	5.1	6.2	4.8	
12 TWELVE	53	411	4732		5196
	1.0	7.9	91.1		15.6
	5.4	12.6	16.3		
13 THIRTEEN	15	122	1797	1	1935
	.8	6.3	92.9	.1	5.8
	1.5	3.7	6.2	4.8	
14 FOURTEEN	14	177	2566	2	2759
	.5	6.4	93.0	.1	8.3
	1.4	5.4	8.9	9.5	
15 FIFTEEN	47	327	4145		4519
	1.0	7.2	91.7		13.6
	4.8	10.0	14.3		
16 SIXTEEN OR MORE	17	261	3112		3390
	.5	7.7	91.8		10.2
	1.7	8.0	10.7		
17 NOT STATED	13	22	99	4	138
	9.4	15.9	71.7	2.9	.4
	1.3	.7	.3	19.0	
Column Total	984	3268	28965	21	33238
	3.0	9.8	87.1	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY NUMBER OF PRENATAL VISITS

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE		1376 100.0 100.0											1376 1.3
1 FIRST MONTH			16 .1 3.6	19 .1 2.8	25 .1 2.9	42 .2 3.2	70 .4 4.3	94 .5 4.3	157 .9 7.0	238 1.3 6.0	274 1.5 7.6	787 4.4 8.6	17715 17.0
2 SECOND MONTH			31 .1 7.0	60 .1 9.0	83 .2 9.7	122 .3 9.3	217 .5 13.2	348 .8 15.9	418 .9 18.7	870 1.9 22.0	934 2.1 25.8	3019 6.7 33.1	45013 43.3
3 THIRD MONTH			29 .1 6.5	68 .3 10.2	91 .5 10.7	141 .7 10.7	199 1.0 12.1	337 1.7 15.4	385 2.0 17.2	797 4.1 20.1	875 4.5 24.2	2315 11.9 25.3	19534 18.8
4 FOURTH MONTH			39 .4 8.8	53 .6 7.9	79 .9 9.3	160 1.8 12.2	217 2.5 13.2	333 3.8 15.2	367 4.2 16.4	724 8.2 18.3	705 8.0 19.5	1506 17.1 16.5	8825 8.5
5 FIFTH MONTH			49 .9 11.1	63 1.2 9.4	104 2.0 12.2	184 3.5 14.0	242 4.7 14.8	427 8.2 19.5	384 7.4 17.2	661 12.7 16.7	453 8.7 12.5	910 17.5 10.0	5197 5.0
6 SIXTH MONTH			55 1.8 12.4	89 2.9 13.3	126 4.1 14.8	224 7.4 17.1	305 10.0 18.6	303 10.0 13.9	299 9.8 13.4	412 13.6 10.4	242 8.0 6.7	417 13.7 4.6	3038 2.9
7 SEVENTH MONTH			58 3.2 13.1	99 5.5 14.8	128 7.1 15.0	243 13.5 18.5	267 14.9 16.3	245 13.6 11.2	156 8.7 7.0	211 11.8 5.3	107 6.0 3.0	142 7.9 1.6	1795 1.7
8 EIGHTH MONTH			86 9.2 19.4	153 16.4 22.9	173 18.5 20.3	159 17.0 12.1	103 11.0 6.3	88 9.4 4.0	59 6.3 2.6	38 4.1 1.0	20 2.1 .6	22 2.4 .2	934 .9
9 NINTH MONTH			75 30.7 16.9	58 23.8 8.7	36 14.8 4.2	29 11.9 2.2	12 4.9 .7	8 3.3 .4	5 2.0 .2	1 .4 .0	2 .8 .1	3 1.2 .0	244 .2
10 NOT STATED			5 2.0 1.1	7 2.8 1.0	8 3.1 .9	8 3.1 .6	6 2.4 .4	4 1.6 .2	8 3.1 .4	6 2.4 .2	10 3.9 .3	12 4.7 .1	254 .2
Column Total		1376 1.3	443 .4	669 .6	853 .8	1312 1.3	1638 1.6	2187 2.1	2238 2.2	3958 3.8	3622 3.5	9133 8.8	103925 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
0 NONE									1376 1.3
1 FIRST MONTH		683 3.9 11.8	2536 14.3 12.8	1138 6.4 15.9	2302 13.0 20.8	4571 25.8 26.9	4732 26.7 31.0	31 .2 8.9	17715 17.0
2 SECOND MONTH		2220 4.9 38.2	10866 24.1 54.7	3565 7.9 49.8	5529 12.3 50.1	9175 20.4 54.1	7488 16.6 49.0	68 .2 19.4	45013 43.3
3 THIRD MONTH		1545 7.9 26.6	4091 20.9 20.6	1628 8.3 22.7	2481 12.7 22.5	2289 11.7 13.5	2214 11.3 14.5	49 .3 14.0	19534 18.8
4 FOURTH MONTH		773 8.8 13.3	1517 17.2 7.6	637 7.2 8.9	512 5.8 4.6	623 7.1 3.7	556 6.3 3.6	24 .3 6.9	8825 8.5
5 FIFTH MONTH		376 7.2 6.5	619 11.9 3.1	146 2.8 2.0	157 3.0 1.4	208 4.0 1.2	192 3.7 1.3	22 .4 6.3	5197 5.0
6 SIXTH MONTH		165 5.4 2.8	177 5.8 .9	33 1.1 .5	45 1.5 .4	78 2.6 .5	56 1.8 .4	12 .4 3.4	3038 2.9
7 SEVENTH MONTH		31 1.7 .5	51 2.8 .3	8 .4 .1	10 .6 .1	15 .8 .1	17 .9 .1	7 .4 2.0	1795 1.7
8 EIGHTH MONTH		7 .7 .1	8 .9 .0	4 .4 .1	2 .2 .0	5 .5 .0	2 .2 .0	5 .5 1.4	934 .9
9 NINTH MONTH		3 1.2 .1	3 1.2 .0		1 .4 .0	3 1.2 .0	2 .8 .0	3 1.2 .9	244 .2
10 NOT STATED		7 2.8 .1	13 5.1 .1	4 1.6 .1	6 2.4 .1	7 2.8 .0	14 5.5 .1	129 50.8 36.9	254 .2
Column Total		5810 5.6	19881 19.1	7163 6.9	11045 10.6	16974 16.3	15273 14.7	350 .3	103925 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE		436											436
		100.0											.6
		100.0											
1 FIRST MONTH			7	6	9	21	41	44	97	141	196	540	13541
			.1	.0	.1	.2	.3	.3	.7	1.0	1.4	4.0	19.2
			5.6	2.6	2.8	4.7	6.1	4.4	8.6	6.9	9.2	9.7	
2 SECOND MONTH			9	26	36	41	119	183	256	554	642	2088	34417
			.0	.1	.1	.1	.3	.5	.7	1.6	1.9	6.1	48.7
			7.2	11.4	11.1	9.2	17.7	18.4	22.7	27.1	30.0	37.6	
3 THIRD MONTH			8	31	43	58	93	162	226	430	510	1377	12580
			.1	.2	.3	.5	.7	1.3	1.8	3.4	4.1	10.9	17.8
			6.4	13.5	13.3	13.0	13.8	16.3	20.1	21.0	23.8	24.8	
4 FOURTH MONTH			14	12	26	47	73	130	179	317	384	796	4625
			.3	.3	.6	1.0	1.6	2.8	3.9	6.9	8.3	17.2	6.5
			11.2	5.2	8.0	10.5	10.9	13.1	15.9	15.5	17.9	14.3	
5 FIFTH MONTH			13	16	36	53	89	178	153	299	207	461	2424
			.5	.7	1.5	2.2	3.7	7.3	6.3	12.3	8.5	19.0	3.4
			10.4	7.0	11.1	11.9	13.2	17.9	13.6	14.6	9.7	8.3	
6 SIXTH MONTH			11	32	48	55	106	139	109	180	130	207	1289
			.9	2.5	3.7	4.3	8.2	10.8	8.5	14.0	10.1	16.1	1.8
			8.8	14.0	14.9	12.3	15.8	14.0	9.7	8.8	6.1	3.7	
7 SEVENTH MONTH			16	28	40	83	103	103	75	105	56	60	741
			2.2	3.8	5.4	11.2	13.9	13.9	10.1	14.2	7.6	8.1	1.0
			12.8	12.2	12.4	18.6	15.3	10.4	6.7	5.1	2.6	1.1	
8 EIGHTH MONTH			17	53	69	71	44	46	27	18	8	14	382
			4.5	13.9	18.1	18.6	11.5	12.0	7.1	4.7	2.1	3.7	.5
			13.6	23.1	21.4	15.9	6.5	4.6	2.4	.9	.4	.3	
9 NINTH MONTH			29	21	13	16	2	4	1		2	3	101
			28.7	20.8	12.9	15.8	2.0	4.0	1.0		2.0	3.0	.1
			23.2	9.2	4.0	3.6	.3	.4	.1		.1	.1	
10 NOT STATED			1	4	3	2	2	3	4	3	5	6	151
			.7	2.6	2.0	1.3	1.3	2.0	2.6	2.0	3.3	4.0	.2
			.8	1.7	.9	.4	.3	.3	.4	.1	.2	.1	
Column Total		436	125	229	323	447	672	992	1127	2047	2140	5552	70687
		.6	.2	.3	.5	.6	1.0	1.4	1.6	2.9	3.0	7.9	100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
NONE	0								436
									.6
FIRST MONTH	1	473	1935	897	1807	3528	3773	26	13541
		3.5	14.3	6.6	13.3	26.1	27.9	.2	19.2
		12.3	13.2	17.2	21.8	28.3	31.8	12.3	
SECOND MONTH	2	1641	8759	2706	4315	6941	6049	52	34417
		4.8	25.4	7.9	12.5	20.2	17.6	.2	48.7
		42.6	59.6	51.8	52.1	55.7	50.9	24.5	
THIRD MONTH	3	1029	2636	1146	1737	1474	1595	25	12580
		8.2	21.0	9.1	13.8	11.7	12.7	.2	17.8
		26.7	18.0	21.9	21.0	11.8	13.4	11.8	
FOURTH MONTH	4	404	871	385	310	365	299	13	4625
		8.7	18.8	8.3	6.7	7.9	6.5	.3	6.5
		10.5	5.9	7.4	3.7	2.9	2.5	6.1	
FIFTH MONTH	5	199	347	70	80	101	115	7	2424
		8.2	14.3	2.9	3.3	4.2	4.7	.3	3.4
		5.2	2.4	1.3	1.0	.8	1.0	3.3	
SIXTH MONTH	6	75	90	16	26	29	32	4	1289
		5.8	7.0	1.2	2.0	2.2	2.5	.3	1.8
		1.9	.6	.3	.3	.2	.3	1.9	
SEVENTH MONTH	7	18	29	3	4	9	6	3	741
		2.4	3.9	.4	.5	1.2	.8	.4	1.0
		.5	.2	.1	.0	.1	.1	1.4	
EIGHTH MONTH	8	2	5	2	1	3	1	1	382
		.5	1.3	.5	.3	.8	.3	.3	.5
		.1	.0	.0	.0	.0	.0	.5	
NINTH MONTH	9	3	3		1	1	1	1	101
		3.0	3.0		1.0	1.0	1.0	1.0	.1
		.1	.0		.0	.0	.0	.5	
NOT STATED	10	4	10	3	5	4	12	80	151
		2.6	6.6	2.0	3.3	2.6	7.9	53.0	.2
		.1	.1	.1	.1	.0	.1	37.7	
Column Total		3848	14685	5228	8286	12455	11883	212	70687
		5.4	20.8	7.4	11.7	17.6	16.8	.3	100.0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE		940											940
		100.0											2.8
		100.0											
1 FIRST MONTH			9	13	16	21	29	50	60	97	78	247	4174
			.2	.3	.4	.5	.7	1.2	1.4	2.3	1.9	5.9	12.6
			2.8	3.0	3.0	2.4	3.0	4.2	5.4	5.1	5.3	6.9	
2 SECOND MONTH			22	34	47	81	98	165	162	316	292	931	10596
			.2	.3	.4	.8	.9	1.6	1.5	3.0	2.8	8.8	31.9
			6.9	7.7	8.9	9.4	10.1	13.8	14.6	16.5	19.7	26.0	
3 THIRD MONTH			21	37	48	83	106	175	159	367	365	938	6954
			.3	.5	.7	1.2	1.5	2.5	2.3	5.3	5.2	13.5	20.9
			6.6	8.4	9.1	9.6	11.0	14.6	14.3	19.2	24.6	26.2	
4 FOURTH MONTH			25	41	53	113	144	203	188	407	321	710	4200
			.6	1.0	1.3	2.7	3.4	4.8	4.5	9.7	7.6	16.9	12.6
			7.9	9.3	10.0	13.1	14.9	17.0	16.9	21.3	21.7	19.8	
5 FIFTH MONTH			36	47	68	131	153	249	231	362	246	449	2773
			1.3	1.7	2.5	4.7	5.5	9.0	8.3	13.1	8.9	16.2	8.3
			11.3	10.7	12.8	15.1	15.8	20.8	20.8	18.9	16.6	12.5	
6 SIXTH MONTH			44	57	78	169	199	164	190	232	112	210	1749
			2.5	3.3	4.5	9.7	11.4	9.4	10.9	13.3	6.4	12.0	5.3
			13.8	13.0	14.7	19.5	20.6	13.7	17.1	12.1	7.6	5.9	
7 SEVENTH MONTH			42	71	88	160	164	142	81	106	51	82	1054
			4.0	6.7	8.3	15.2	15.6	13.5	7.7	10.1	4.8	7.8	3.2
			13.2	16.1	16.6	18.5	17.0	11.9	7.3	5.5	3.4	2.3	
8 EIGHTH MONTH			69	100	104	88	59	42	32	20	12	8	552
			12.5	18.1	18.8	15.9	10.7	7.6	5.8	3.6	2.2	1.4	1.7
			21.7	22.7	19.6	10.2	6.1	3.5	2.9	1.0	.8	.2	
9 NINTH MONTH			46	37	23	13	10	4	4	1			143
			32.2	25.9	16.1	9.1	7.0	2.8	2.8	.7			.4
			14.5	8.4	4.3	1.5	1.0	.3	.4	.1			
10 NOT STATED			4	3	5	6	4	1	4	3	5	6	103
			3.9	2.9	4.9	5.8	3.9	1.0	3.9	2.9	4.9	5.8	.3
			1.3	.7	.9	.7	.4	.1	.4	.2	.3	.2	
Column Total		940	318	440	530	865	966	1195	1111	1911	1482	3581	33238
		2.8	1.0	1.3	1.6	2.6	2.9	3.6	3.3	5.7	4.5	10.8	100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
0 NONE									940 / 2.8
1 FIRST MONTH		210 / 5.0 / 10.7	601 / 14.4 / 11.6	241 / 5.8 / 12.5	495 / 11.9 / 17.9	1043 / 25.0 / 23.1	959 / 23.0 / 28.3	5 / .1 / 3.6	4174 / 12.6
2 SECOND MONTH		579 / 5.5 / 29.5	2107 / 19.9 / 40.6	859 / 8.1 / 44.4	1214 / 11.5 / 44.0	2234 / 21.1 / 49.4	1439 / 13.6 / 42.4	16 / .2 / 11.6	10596 / 31.9
3 THIRD MONTH		516 / 7.4 / 26.3	1455 / 20.9 / 28.0	482 / 6.9 / 24.9	744 / 10.7 / 27.0	815 / 11.7 / 18.0	619 / 8.9 / 18.3	24 / .3 / 17.4	6954 / 20.9
4 FOURTH MONTH		369 / 8.8 / 18.8	646 / 15.4 / 12.4	252 / 6.0 / 13.0	202 / 4.8 / 7.3	258 / 6.1 / 5.7	257 / 6.1 / 7.6	11 / .3 / 8.0	4200 / 12.6
5 FIFTH MONTH		177 / 6.4 / 9.0	272 / 9.8 / 5.2	76 / 2.7 / 3.9	77 / 2.8 / 2.8	107 / 3.9 / 2.4	77 / 2.8 / 2.3	15 / .5 / 10.9	2773 / 8.3
6 SIXTH MONTH		90 / 5.1 / 4.6	87 / 5.0 / 1.7	17 / 1.0 / .9	19 / 1.1 / .7	49 / 2.8 / 1.1	24 / 1.4 / .7	8 / .5 / 5.8	1749 / 5.3
7 SEVENTH MONTH		13 / 1.2 / .7	22 / 2.1 / .4	5 / .5 / .3	6 / .6 / .2	6 / .6 / .1	11 / 1.0 / .3	4 / .4 / 2.9	1054 / 3.2
8 EIGHTH MONTH		5 / .9 / .3	3 / .5 / .1	2 / .4 / .1	1 / .2 / .0	2 / .4 / .0	1 / .2 / .0	4 / .7 / 2.9	552 / 1.7
9 NINTH MONTH						2 / 1.4 / .0	1 / .7 / .0	2 / 1.4 / 1.4	143 / .4
10 NOT STATED		3 / 2.9 / .2	3 / 2.9 / .1	1 / 1.0 / .1	1 / 1.0 / .0	3 / 2.9 / .1	2 / 1.9 / .1	49 / 47.6 / 35.5	103 / .3
Column Total		1962 / 5.9	5196 / 15.6	1935 / 5.8	2759 / 8.3	4519 / 13.6	3390 / 10.2	138 / .4	33238 / 100.0

Number of Missing Observations: 0

MEDICAL HISTORY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

MEDS		BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
NONE	MEDHI1	827	4077	71998	18	76920
		1.1	5.3	93.6	.0	74.0
		48.0	58.0	75.7	50.0	
ANEMIA	MEDHI2	43	161	2265	1	2470
		1.7	6.5	91.7	.0	2.4
		2.5	2.3	2.4	2.8	
DIABETES	MEDHI3	42	225	3319	0	3586
		1.2	6.3	92.6	.0	3.5
		2.4	3.2	3.5	.0	
HYPERTENSION	MEDHI4	189	736	4508	1	5434
		3.5	13.5	83.0	.0	5.2
		11.0	10.5	4.7	2.8	
ALL OTHERS	MEDHI5	759	2276	15566	11	18612
		4.1	12.2	83.6	.1	17.9
		44.0	32.4	16.4	30.6	
ONE OR MORE	MEDHI6	895	2942	23062	12	26911
		3.3	10.9	85.7	.0	25.9
		51.9	41.9	24.2	33.3	
UNKNOWN	MEDHI7	2	6	80	6	94
		2.1	6.4	85.1	6.4	.1
		.1	.1	.1	16.7	
	Column Total	1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

MEDS		BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
NONE	MEDHI1	348	2115	50864	8	53335
		.7	4.0	95.4	.0	75.5
		47.0	56.3	76.9	53.3	
ANEMIA	MEDHI2	16	76	1240	0	1332
		1.2	5.7	93.1	.0	1.9
		2.2	2.0	1.9	.0	
DIABETES	MEDHI3	22	145	2448	0	2615
		.8	5.5	93.6	.0	3.7
		3.0	3.9	3.7	.0	
HYPERTENSION	MEDHI4	79	436	3131	0	3646
		2.2	12.0	85.9	.0	5.2
		10.7	11.6	4.7	.0	
ALL OTHERS	MEDHI5	331	1237	10175	3	11746
		2.8	10.5	86.6	.0	16.6
		44.7	32.9	15.4	20.0	
ONE OR MORE	MEDHI6	391	1639	15252	3	17285
		2.3	9.5	88.2	.0	24.5
		52.8	43.6	23.0	20.0	
UNKNOWN	MEDHI7	1	3	59	4	67
		1.5	4.5	88.1	6.0	.1
		.1	.1	.1	26.7	
	Column Total	740	3757	66175	15	70687
		1.0	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

MEDS		BW Count / Row pct / Col pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
NONE	MEDHI1		479	1962	21134	10	23585
			2.0	8.3	89.6	.0	71.0
			48.7	60.0	73.0	47.6	
ANEMIA	MEDHI2		27	85	1025	1	1138
			2.4	7.5	90.1	.1	3.4
			2.7	2.6	3.5	4.8	
DIABETES	MEDHI3		20	80	871	0	971
			2.1	8.2	89.7	.0	2.9
			2.0	2.4	3.0	.0	
HYPERTENSION	MEDHI4		110	300	1377	1	1788
			6.2	16.8	77.0	.1	5.4
			11.2	9.2	4.8	4.8	
ALL OTHERS	MEDHI5		428	1039	5391	8	6866
			6.2	15.1	78.5	.1	20.7
			43.5	31.8	18.6	38.1	
ONE OR MORE	MEDHI6		504	1303	7810	9	9626
			5.2	13.5	81.1	.1	29.0
			51.2	39.9	27.0	42.9	
UNKNOWN	MEDHI7		1	3	21	2	27
			3.7	11.1	77.8	7.4	.1
			.1	.1	.1	9.5	
	Column Total		984	3268	28965	21	33238
			3.0	9.8	87.1	.1	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

MATERNAL SMOKING

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OMHS		BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
NO TOBACCO USE	OMHS1 Count	1319	4896	78153	24	84392
	Row pct	1.6	5.8	92.6	.0	81.2
	Col pct	76.5	69.7	82.1	66.7	
SMOKED	OMHS2 Count	393	2112	16815	6	19326
	Row pct	2.0	10.9	87.0	.0	18.6
	Col pct	22.8	30.1	17.7	16.7	
SMOKING UNKNOWN	OMHS3 Count	12	17	172	6	207
	Row pct	5.8	8.2	83.1	2.9	.2
	Col pct	.7	.2	.2	16.7	
Column Total		1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OMHS	Count / Row pct / Col pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
NO TOBACCO USE	OMHIS1	529	2457	53262	10	56258
		.9	4.4	94.7	.0	79.6
		71.5	65.4	80.5	66.7	
SMOKED	OMHIS2	207	1291	12793	1	14292
		1.4	9.0	89.5	.0	20.2
		28.0	34.4	19.3	6.7	
SMOKING UNKNOWN	OMHIS3	4	9	120	4	137
		2.9	6.6	87.6	2.9	.2
		.5	.2	.2	26.7	
	Column Total	740	3757	66175	15	70687
		1.0	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OMHS		BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
NO TOBACCO USE	OMHS1 Count	790	2439	24891	14	28134
	Row pct	2.8	8.7	88.5	.0	84.6
	Col pct	80.3	74.6	85.9	66.7	
SMOKED	OMHS2 Count	186	821	4022	5	5034
	Row pct	3.7	16.3	79.9	.1	15.1
	Col pct	18.9	25.1	13.9	23.8	
SMOKING UNKNOWN	OMHS3 Count	8	8	52	2	70
	Row pct	11.4	11.4	74.3	2.9	.2
	Col pct	.8	.2	.2	9.5	
	Column Count	984	3268	28965	21	33238
	Column Total	3.0	9.8	87.1	.1	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

MATERNAL WEIGHT GAIN

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

GAINED		BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
0-9 LBS	WEIGHT1	283	440	3002	5	3730
		7.6	11.8	80.5	.1	3.6
		16.4	6.3	3.2	13.9	
10-19 LBS	WEIGHT2	564	1453	10294	10	12321
		4.6	11.8	83.5	.1	11.9
		32.7	20.7	10.8	27.8	
20-29 LBS	WEIGHT3	427	2293	27707	5	30432
		1.4	7.5	91.0	.0	29.3
		24.8	32.6	29.1	13.9	
30-39 LBS	WEIGHT4	183	1485	29179	3	30850
		.6	4.8	94.6	.0	29.7
		10.6	21.1	30.7	8.3	
40+ LBS	WEIGHT5	99	1009	22634	6	23748
		.4	4.2	95.3	.0	22.9
		5.7	14.4	23.8	16.7	
UNKNOWN	WEIGHT6	168	345	2324	7	2844
		5.9	12.1	81.7	.2	2.7
		9.7	4.9	2.4	19.4	
	Column Total	1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

		BW				
	Count / Row pct / Col pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
GAINED						
0-9 LBS	WEIGHT1	101	170	1623	1	1895
		5.3	9.0	85.6	.1	2.7
		13.6	4.5	2.5	6.7	
10-19 LBS	WEIGHT2	244	658	5999	2	6903
		3.5	9.5	86.9	.0	9.8
		33.0	17.5	9.1	13.3	
20-29 LBS	WEIGHT3	205	1247	19081	4	20537
		1.0	6.1	92.9	.0	29.1
		27.7	33.2	28.8	26.7	
30-39 LBS	WEIGHT4	89	900	21495	2	22486
		.4	4.0	95.6	.0	31.8
		12.0	24.0	32.5	13.3	
40+ LBS	WEIGHT5	50	638	16618	2	17308
		.3	3.7	96.0	.0	24.5
		6.8	17.0	25.1	13.3	
UNKNOWN	WEIGHT6	51	144	1359	4	1558
		3.3	9.2	87.2	.3	2.2
		6.9	3.8	2.1	26.7	
	Column Total	740	3757	66175	15	70687
		1.0	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

GAINED		BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
0-9 LBS	WEIGHT1	182	270	1379	4	1835
		9.9	14.7	75.1	.2	5.5
		18.5	8.3	4.8	19.0	
10-19 LBS	WEIGHT2	320	795	4295	8	5418
		5.9	14.7	79.3	.1	16.3
		32.5	24.3	14.8	38.1	
20-29 LBS	WEIGHT3	222	1046	8626	1	9895
		2.2	10.6	87.2	.0	29.8
		22.6	32.0	29.8	4.8	
30-39 LBS	WEIGHT4	94	585	7684	1	8364
		1.1	7.0	91.9	.0	25.2
		9.6	17.9	26.5	4.8	
40+ LBS	WEIGHT5	49	371	6016	4	6440
		.8	5.8	93.4	.1	19.4
		5.0	11.4	20.8	19.0	
UNKNOWN	WEIGHT6	117	201	965	3	1286
		9.1	15.6	75.0	.2	3.9
		11.9	6.2	3.3	14.3	
	Column Total	984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

OBSTETRIC PROCEDURES

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OPROC		BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
NONE	OBP1	87	257	3515	4	3863
		2.3	6.7	91.0	.1	3.7
		5.0	3.7	3.7	11.1	
AMNIOCENTESIS	OBP2	80	340	2665	2	3087
		2.6	11.0	86.3	.1	3.0
		4.6	4.8	2.8	5.6	
ELECT FET MONITORING	OBP3	1455	6194	83051	21	90721
		1.6	6.8	91.5	.0	87.3
		84.4	88.2	87.3	58.3	
INDUCTION OF LABOR	OBP4	109	738	11252	1	12100
		.9	6.1	93.0	.0	11.6
		6.3	10.5	11.8	2.8	
STIMULATION OF LABOR	OBP5	90	683	13196	0	13969
		.6	4.9	94.5	.0	13.4
		5.2	9.7	13.9	.0	
ULTRASOUND	OBP6	1215	4841	65315	18	71389
		1.7	6.8	91.5	.0	68.7
		70.5	68.9	68.7	50.0	
ALL OTHERS	OBP7	217	683	4153	2	5055
		4.3	13.5	82.2	.0	4.9
		12.6	9.7	4.4	5.6	
ONE OR MORE	OBP8	1634	6758	91532	26	99950
		1.6	6.8	91.6	.0	96.2
		94.8	96.2	96.2	72.2	
UNKNOWN	OBP9	3	10	93	6	112
		2.7	8.9	83.0	5.4	.1
		.2	.1	.1	16.7	
Column Total		1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OPROC	Count / Row pct / Col pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
OBP1 NONE		24	118	2415	2	2559
		.9	4.6	94.4	.1	3.6
		3.2	3.1	3.6	13.3	
OBP2 AMNIOCENTESIS		48	237	2191	2	2478
		1.9	9.6	88.4	.1	3.5
		6.5	6.3	3.3	13.3	
OBP3 ELECT FET MONITORING		638	3338	57683	8	61667
		1.0	5.4	93.5	.0	87.2
		86.2	88.8	87.2	53.3	
OBP4 INDUCTION OF LABOR		43	419	8636	1	9099
		.5	4.6	94.9	.0	12.9
		5.8	11.2	13.1	6.7	
OBP5 STIMULATION OF LABOR		33	326	9001	0	9360
		.4	3.5	96.2	.0	13.2
		4.5	8.7	13.6	.0	
OBP6 ULTRASOUND		539	2714	46688	5	49946
		1.1	5.4	93.5	.0	70.7
		72.8	72.2	70.6	33.3	
OBP7 ALL OTHERS		101	434	3053	1	3589
		2.8	12.1	85.1	.0	5.1
		13.6	11.6	4.6	6.7	
OBP8 ONE OR MORE		716	3635	63690	9	68050
		1.1	5.3	93.6	.0	96.3
		96.8	96.8	96.2	60.0	
OBP9 UNKNOWN		0	4	70	4	78
		.0	5.1	89.7	5.1	.1
		.0	.1	.1	26.7	
Column Total		740	3757	66175	15	70687
		1.0	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OPROC		BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
NONE	OBP1	63	139	1100	2	1304
		4.8	10.7	84.4	.2	3.9
		6.4	4.3	3.8	9.5	
AMNIOCENTESIS	OBP2	32	103	474	0	609
		5.3	16.9	77.8	.0	1.8
		3.3	3.2	1.6	.0	
ELECT FET MONITORING	OBP3	817	2856	25368	13	29054
		2.8	9.8	87.3	.0	87.4
		83.0	87.4	87.6	61.9	
INDUCTION OF LABOR	OBP4	66	319	2616	0	3001
		2.2	10.6	87.2	.0	9.0
		6.7	9.8	9.0	.0	
STIMULATION OF LABOR	OBP5	57	357	4195	0	4609
		1.2	7.7	91.0	.0	13.9
		5.8	10.9	14.5	.0	
ULTRASOUND	OBP6	676	2127	18627	13	21443
		3.2	9.9	86.9	.1	64.5
		68.7	65.1	64.3	61.9	
ALL OTHERS	OBP7	116	249	1100	1	1466
		7.9	17.0	75.0	.1	4.4
		11.8	7.6	3.8	4.8	
ONE OR MORE	OBP8	918	3123	27842	17	31900
		2.9	9.8	87.3	.1	96.0
		93.3	95.6	96.1	81.0	
UNKNOWN	OBP9	3	6	23	2	34
		8.8	17.6	67.6	5.9	.1
		.3	.2	.1	9.5	
	Column Total	984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

EVENTS OF LABOR/DELIVERY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

		BW				
	Count / Row pct / Col pct	UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
EVENTS						
NONE	EVLAB1	486	3256	60602	17	64361
		.8	5.1	94.2	.0	61.9
		28.2	46.3	63.7	47.2	
MECONIUM	EVLAB2	37	276	7364	2	7679
		.5	3.6	95.9	.0	7.4
		2.1	3.9	7.7	5.6	
PREM RUPTURE	EVLAB3	430	919	2785	2	4136
		10.4	22.2	67.3	.0	4.0
		24.9	13.1	2.9	5.6	
DYSFUNCTIONAL LABOR	EVLAB4	14	187	4435	0	4636
		.3	4.0	95.7	.0	4.5
		.8	2.7	4.7	.0	
BREECH-MALPRESENT.	EVLAB5	366	648	3072	2	4088
		9.0	15.9	75.1	.0	3.9
		21.2	9.2	3.2	5.6	
FETAL DISTRESS	EVLAB6	228	843	7936	2	9009
		2.5	9.4	88.1	.0	8.7
		13.2	12.0	8.3	5.6	
ALL OTHERS	EVLAB7	707	1966	17394	9	20076
		3.5	9.8	86.6	.0	19.3
		41.0	28.0	18.3	25.0	
ONE OR MORE	EVLAB8	1234	3761	34451	13	39459
		3.1	9.5	87.3	.0	38.0
		71.6	53.5	36.2	36.1	
UNKNOWN	EVLAB9	4	8	87	6	105
		3.8	7.6	82.9	5.7	.1
		.2	.1	.1	16.7	
	Column Total	1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

		BW			
	Count / Row pct / Col pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
EVENTS						
EVLAB1 NONE		205 / .5 / 27.7	1667 / 3.7 / 44.4	42761 / 95.8 / 64.6	8 / .0 / 53.3	44641 / 63.2
EVLAB2 MECONIUM		16 / .4 / 2.2	132 / 2.9 / 3.5	4417 / 96.7 / 6.7	1 / .0 / 6.7	4566 / 6.5
EVLAB3 PREM RUPTURE		173 / 6.8 / 23.4	498 / 19.7 / 13.3	1857 / 73.5 / 2.8	0 / .0 / .0	2528 / 3.6
EVLAB4 DYSFUNCTIONAL LABOR		5 / .2 / .7	93 / 3.1 / 2.5	2920 / 96.8 / 4.4	0 / .0 / .0	3018 / 4.3
EVLAB5 BREECH-MALPRESENT.		184 / 6.1 / 24.9	435 / 14.3 / 11.6	2417 / 79.6 / 3.7	0 / .0 / .0	3036 / 4.3
EVLAB6 FETAL DISTRESS		83 / 1.5 / 11.2	462 / 8.1 / 12.3	5126 / 90.4 / 7.7	2 / .0 / 13.3	5673 / 8.0
EVLAB7 ALL OTHERS		321 / 2.3 / 43.4	1103 / 8.1 / 29.4	12238 / 89.6 / 18.5	2 / .0 / 13.3	13664 / 19.3
EVLAB8 ONE OR MORE		533 / 2.1 / 72.0	2087 / 8.0 / 55.5	23351 / 89.9 / 35.3	3 / .0 / 20.0	25974 / 36.7
EVLAB9 UNKNOWN		2 / 2.8 / .3	3 / 4.2 / .1	63 / 87.5 / .1	4 / 5.6 / 26.7	72 / .1
	Column Total	740 / 1.0	3757 / 5.3	66175 / 93.6	15 / .0	70687 / 100.0

Percents and totals based on respondents

*** C R O S S T A B U L A T I O N ***

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

EVENTS		BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
NONE	EVLAB1	281	1589	17841	9	19720
		1.4	8.1	90.5	.0	59.3
		28.6	48.6	61.6	42.9	
MECONIUM	EVLAB2	21	144	2947	1	3113
		.7	4.6	94.7	.0	9.4
		2.1	4.4	10.2	4.8	
PREM RUPTURE	EVLAB3	257	421	928	2	1608
		16.0	26.2	57.7	.1	4.8
		26.1	12.9	3.2	9.5	
DYSFUNCTIONAL LABOR	EVLAB4	9	94	1515	0	1618
		.6	5.8	93.6	.0	4.9
		.9	2.9	5.2	.0	
BREECH-MALPRESENT.	EVLAB5	182	213	655	2	1052
		17.3	20.2	62.3	.2	3.2
		18.5	6.5	2.3	9.5	
FETAL DISTRESS	EVLAB6	145	381	2810	0	3336
		4.3	11.4	84.2	.0	10.0
		14.7	11.7	9.7	.0	
ALL OTHERS	EVLAB7	386	863	5156	7	6412
		6.0	13.5	80.4	.1	19.3
		39.2	26.4	17.8	33.3	
ONE OR MORE	EVLAB8	701	1674	11100	10	13485
		5.2	12.4	82.3	.1	40.6
		71.2	51.2	38.3	47.6	
UNKNOWN	EVLAB9	2	5	24	2	33
		6.1	15.2	72.7	6.1	.1
		.2	.2	.1	9.5	
Column Total		984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

METHOD OF DELIVERY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

		BW				
	Count / Row pct / Col pct	UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
METHOD						
VAGINAL	MDEL1	986	4881	74053	21	79941
		1.2	6.1	92.6	.0	76.9
		57.2	69.5	77.8	58.3	
PRIMARY C-SECT	MDEL2	649	1726	13449	9	15833
		4.1	10.9	84.9	.1	15.2
		37.6	24.6	14.1	25.0	
REPEAT C-SECT	MDEL3	89	384	7139	0	7612
		1.2	5.0	93.8	.0	7.3
		5.2	5.5	7.5	.0	
FORCEPS	MDEL4	20	274	5225	1	5520
		.4	5.0	94.7	.0	5.3
		1.2	3.9	5.5	2.8	
VACUUM	MDEL5	5	337	8482	3	8827
		.1	3.8	96.1	.0	8.5
		.3	4.8	8.9	8.3	
UNKNOWN	MDEL6	2	12	71	6	91
		2.2	13.2	78.0	6.6	.1
		.1	.2	.1	16.7	
	Column Total	1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

	BW				
Count / Row pct / Col pct	UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
METHOD					
MDEL1 VAGINAL	380 / .7 / 51.4	2440 / 4.5 / 64.9	51173 / 94.8 / 77.3	10 / .0 / 66.7	54003 / 76.4
MDEL2 PRIMARY C-SECT	326 / 3.0 / 44.1	1095 / 9.9 / 29.1	9606 / 87.1 / 14.5	1 / .0 / 6.7	11028 / 15.6
MDEL3 REPEAT C-SECT	34 / .6 / 4.6	198 / 3.8 / 5.3	5007 / 95.6 / 7.6	0 / .0 / .0	5239 / 7.4
MDEL4 FORCEPS	9 / .2 / 1.2	181 / 4.1 / 4.8	4200 / 95.7 / 6.3	1 / .0 / 6.7	4391 / 6.2
MDEL5 VACUUM	2 / .0 / .3	229 / 3.3 / 6.1	6757 / 96.7 / 10.2	3 / .0 / 20.0	6991 / 9.9
MDEL6 UNKNOWN	0 / .0 / .0	9 / 14.8 / .2	48 / 78.7 / .1	4 / 6.6 / 26.7	61 / .1
Column Total	740 / 1.0	3757 / 5.3	66175 / 93.6	15 / .0	70687 / 100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

METHOD		BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
VAGINAL	MDEL1	606	2441	22880	11	25938
		2.3	9.4	88.2	.0	78.0
		61.6	74.7	79.0	52.4	
PRIMARY C-SECT	MDEL2	323	631	3843	8	4805
		6.7	13.1	80.0	.2	14.5
		32.8	19.3	13.3	38.1	
REPEAT C-SECT	MDEL3	55	186	2132	0	2373
		2.3	7.8	89.8	.0	7.1
		5.6	5.7	7.4	.0	
FORCEPS	MDEL4	11	93	1025	0	1129
		1.0	8.2	90.8	.0	3.4
		1.1	2.8	3.5	.0	
VACUUM	MDEL5	3	108	1725	0	1836
		.2	5.9	94.0	.0	5.5
		.3	3.3	6.0	.0	
UNKNOWN	MDEL6	2	3	23	2	30
		6.7	10.0	76.7	6.7	.1
		.2	.1	.1	9.5	
	Column Total	984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

CONDITIONS OF THE NEWBORN

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

CONDS		BW UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	Count 702	5710	90285	22	96719
		Row pct .7	5.9	93.3	.0	93.1
		Col pct 40.7	81.3	94.9	61.1	
ASSISTED VENTILATION	COND2	Count 579	727	3176	4	4486
		Row pct 12.9	16.2	70.8	.1	4.3
		Col pct 33.6	10.3	3.3	11.1	
ALL OTHERS	COND3	Count 750	812	1889	7	3458
		Row pct 21.7	23.5	54.6	.2	3.3
		Col pct 43.5	11.6	2.0	19.4	
ONE OR MORE	COND4	Count 1018	1307	4778	8	7111
		Row pct 14.3	18.4	67.2	.1	6.8
		Col pct 59.0	18.6	5.0	22.2	
UNKNOWN	COND5	Count 4	8	77	6	95
		Row pct 4.2	8.4	81.1	6.3	.1
		Col pct .2	.1	.1	16.7	
	Column Total	1724	7025	95140	36	103925
		1.7	6.8	91.5	.0	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

	BW				
Count / Row pct / Col pct	1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
CONDS					
COND1 NONE	286 / .4 / 38.6	2939 / 4.5 / 78.2	62753 / 95.1 / 94.8	10 / .0 / 66.7	65988 / 93.4
COND2 ASSISTED VENTILATION	256 / 8.6 / 34.6	459 / 15.5 / 12.2	2246 / 75.9 / 3.4	0 / .0 / .0	2961 / 4.2
COND3 ALL OTHERS	350 / 15.6 / 47.3	547 / 24.4 / 14.6	1344 / 59.9 / 2.0	1 / .0 / 6.7	2242 / 3.2
COND4 ONE OR MORE	453 / 9.8 / 61.2	814 / 17.6 / 21.7	3366 / 72.6 / 5.1	1 / .0 / 6.7	4634 / 6.6
COND5 UNKNOWN	1 / 1.5 / .1	4 / 6.2 / .1	56 / 86.2 / .1	4 / 6.2 / 26.7	65 / .1
Column Total	740 / 1.0	3757 / 5.3	66175 / 93.6	15 / .0	70687 / 100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

CONDS		BW 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
NONE	COND1	416	2771	27532	12	30731
		1.4	9.0	89.6	.0	92.5
		42.3	84.8	95.1	57.1	
ASSISTED VENTILATION	COND2	323	268	930	4	1525
		21.2	17.6	61.0	.3	4.6
		32.8	8.2	3.2	19.0	
ALL OTHERS	COND3	400	265	545	6	1216
		32.9	21.8	44.8	.5	3.7
		40.7	8.1	1.9	28.6	
ONE OR MORE	COND4	565	493	1412	7	2477
		22.8	19.9	57.0	.3	7.5
		57.4	15.1	4.9	33.3	
UNKNOWN	COND5	3	4	21	2	30
		10.0	13.3	70.0	6.7	.1
		.3	.1	.1	9.5	
	Column Total	984	3268	28965	21	33238
		3.0	9.8	87.1	.1	100.0

Percents and totals based on respondents

103,925 valid cases; 0 missing cases

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 5503

Department of Environment, Health, and Natural Resources
State Center for Health and Environmental Statistics
P. O. Box 29538
Raleigh, N.C. 27626-0538
919/733-4728

BULK RATE
U.S. Postage
PAID
Raleigh, N.C. 27626-0538
Permit No. 1862

500 copies of this public document were printed at a cost of $329.90 or 66¢ per copy.